

Australian Government Department of Finance



Net Zero in Government Operations Annual Progress Report

2022-23

© Commonwealth of Australia 2023 Ownership of intellectual property rights unless otherwise noted, copyright (and any other intellectual property rights) in this publication is owned by the Commonwealth of Australia (referred to as the Commonwealth).

Creative Commons licence All material in this publication is licensed under a Creative Commons Attribution 4.0 International Licence except content supplied by third parties, logos and the Commonwealth Coat of Arms.

Inquiries about the licence and any use of this document should be emailed to apsnetzero@finance.gov.au.

ISSN: 2981-9539

Disclaimer: The Australian Government acting through the Department of Finance has exercised due care and skill in preparing and compiling the information and data in this publication. Notwithstanding, Finance, its employees and advisers disclaim all liability, including liability for negligence and for any loss, damage, injury, expense or cost incurred by any person as a result of accessing, using or relying on any of the information or data in this publication to the maximum extent permitted by law.

Executive Summary

The Net Zero in Government Operations Strategy includes two components: an emissions reduction target, and the reinstatement of public reporting on emissions from Australian Government operations.

The Net Zero in Government Operations Annual Progress Report presents an aggregated summary of entity greenhouse gas emissions at a whole-of-Australian-Government level, as per the Strategy. As 2022-23 was the first year of publication, future Annual Progress Reports will be expanded to show progress towards achieving the Australian Public Service (APS) Net Zero by 2030 target in a transparent and consistent manner.

Australian Government entities have commenced emissions accounting in their 2022-23 annual reports. All non-corporate Commonwealth entities and corporate Commonwealth entities were required to report the emissions from their operations against the APS Net Zero Emissions Reporting Framework in their annual reports for 2022-23. Commonwealth companies were not required to report for the 2022-23 reporting period and will commence reporting in the 2023-24 reporting period.

Emission sources reported in 2022-23 are as follows:

- electricity
- natural gas
- fleet vehicles
- domestic flights
- other energy non-Defence
- other energy Defence.

Non-corporate Commonwealth entities (92) and corporate Commonwealth entities (66) emitted an approximate total of 3,286,328 tonnes of carbon dioxide equivalent (t CO_2 -e) emissions in financial year 2022-23. The single largest source of CO_2 -e emissions is from electricity consumption (1,370,454 t CO_2 -e).



Emission source	Scope 1 (t CO ₂ -e)	Scope 2 (t CO ₂ -e)	Scope 3 (t CO ₂ -e)	Sum of emissions (t CO ₂ -e)
Electricity (Location-based method)	N/A	1,235,551	134,903	1,370,454
Natural gas	100,975	N/A	19,627	120,602
Fleet vehicles	212,139	N/A	54,114	266,253
Domestic flights	8,098	N/A	182,974	191,072
Other energy	1,067,935	N/A	270,012	1,337,947
Other energy – non-Defence	20,641	N/A	5,743	26,384
Other energy - Defence	1,047,294	N/A	264,269	1,311,563
Sum of emissions (t CO ₂ -e)	1,389,147	1,235,551	661,630	3,286,328

Australian Government Greenhouse Gas Emissions Inventory – Location-based method

Australian Government Greenhouse Gas Emissions Inventory – Market-based method

Emission source	Scope 1 (t CO₂-e)	Scope 2 (t CO ₂ -e)	Scope 3 (t CO ₂ -e)	Sum of emissions (t CO ₂ -e)
Electricity (Market-based method)	N/A	886,858	117,379	1,004,237
Natural gas	100,975	N/A	19,627	120,602
Fleet vehicles	212,139	N/A	54,114	266,253
Domestic flights	8,098	N/A	182,974	191,072
Other energy	1,067,935	N/A	270,012	1,337,947
Other energy – non-Defence	20,641	N/A	5,743	26,384
Other energy – Defence	1,047,294	N/A	264,269	1,311,563
Sum of emissions (t CO ₂ -e)	1,389,147	886,858	644,106	2,920,111

Notes:

• The market-based values above are calculated for the total of all entities, rather than calculated on an individual entity basis. This means the values presented in separate annual reports will not sum to the above values.

• Other energy has been split into two categories – Defence and non-Defence. Other energy – Defence includes emissions reported by the Department of Defence that are a result of Defence operations.

Contents

Executive Summary	i
Contents	iii
Index of Tables	iv
Index of Figures	iv
Introduction	1
Emission sources	1
Responsibilities and governance	4
2022-23 Results	5
Whole-of-Australian-Government emissions	5
Electricity	. 10
Natural gas	. 14
Fleet vehicles	. 15
Domestic flights	. 18
Other energy	. 19
Appendix A: Caveats	. 23
Annual report differences	. 23
Entity-specific caveats	. 23
Machinery of Government changes	. 24
Entities reporting to the National Greenhouse and Energy Reporting (NGER) Scheme	. 25
Appendix B: Methods	. 26
Emission calculations	. 26
Data post-processing	. 28
Time series consistency	. 28
Appendix C: Emission factors	. 29
Natural gas emission factors	. 29
Electricity emission factors	. 30
Fleet emission factors	. 31
Flights emission factors	. 32
Other energy tab	. 33
Appendix D: Energy content factors	. 36

Index of Tables

Table 1: Australian Government Greenhouse Gas Emissions Inventory – Location-based meth	
Table 2: Australian Government Greenhouse Gas Emissions Inventory – Market-based metho	d7
Table 3: Electricity emissions by state/territory and scope (location-based method)	11
Table 4: Electricity emissions and renewable percentages (market-based method)	12
Table 5: Natural gas emissions by state/territory and scope	14
Table 6: Fleet vehicle emissions by vehicle type, fuel type and scope	16
Table 7: Flight emissions	18
Table 8: Emissions reported as Other Energy, by source, fuel type and scope	19

Index of Figures

Figure 1: Polycarbonate solar panels on Questacon's curved roof	3
Figure 2: Percentage of emission sources for each scope (location-based method)	6
Figure 3: Percentage of emissions by activity (location-based method)	6
Figure 4: Percentage of emission sources for each scope (market-based method)	7
Figure 5: Percentage of emissions by activity (market-based method)	8
Figure 6: Australian Tourism Exchange	9
Figure 7: Location-based and market-based emissions comparison	11
Figure 8: Percentage of natural gas emissions by state	14



Introduction

The Net Zero in Government Operations Strategy (the Strategy) includes an emissions reduction target and the reinstatement of public reporting on emissions from Australian Government operations. The Net Zero in Government Operations Annual Progress Report (the Annual Progress Report) presents an aggregate report of entity greenhouse gas emissions and will expand over time to show progress towards achieving the APS Net Zero by 2030 target.

Emissions reporting by entities will be integrated as an ongoing requirement under the Commonwealth Climate Disclosure reform.

The Department of Finance, supported by the Department of Climate Change, Energy, the Environment and Water, has developed an Emissions Reporting Framework that adapts existing greenhouse gas emissions related accounting frameworks to leverage best practice and has been designed to promote consistency of reporting across Commonwealth entities.

The Emissions Reporting Framework intends to provide a consistent basis for the recently reinstated public reporting of greenhouse gas emissions associated with government operations. Implementation of the Emissions Reporting Framework will involve a continuous improvement cycle in public reporting over time. This provides an opportunity to rebuild capability across the APS to measure, report and reduce emissions.

The data that underpins this Annual Progress Report is prepared by entities, and submitted for collation, calculation and analysis by the Department of Finance.

Emission sources

The Strategy sets out the emission sources and Australian Government entities that are required to report their emissions.

Data reported in the Annual Progress Report for 2022-23 will form an initial baseline for emissions associated with the following activities:

- electricity
- natural gas
- fleet vehicles
- domestic flights
- other energy non-Defence
- other energy Defence.

The initial baseline may change if additional sources are included in the future.

These emission sources can be categorised across scope 1, scope 2 and scope 3 emissions.

Scope 1 emissions reflect emissions from sources owned or controlled by Government, including the stationary combustion of fuels (boilers, generators) and transportation (vehicle fleet). In this report, scope 1 refers to natural gas use, fleet vehicles, domestic flights in owned and/or leased aircraft, and some other energy sources.

Scope 2 emissions are indirect emissions which occur because of the activities that generate electricity, which is consumed by an entity, but is generated outside that entity's boundaries. These emissions are physically produced by the burning of fossil fuels by the generator of the electricity. In this Annual Progress Report, the only scope 2 emission source is electricity consumed.

Scope 3 emissions reflect other indirect emissions produced through Government activities. For 2022-23, scope 3 emission sources include domestic flights, and indirect emissions associated with the extraction, production and transportation of energy sources (natural gas, fleet vehicles and other energy sources) as well as the transmission and distribution losses associated with electricity use.

Case study: Department of Industry, Science and Resources

Questacon is a division of the Department of Industry, Science and Resources (DISR), and engages people in science, technology and innovation by providing fun and inspirational learning experiences. Questacon conducts activities at two locations: the National Science and Technology Centre in Parkes, and the Ian Potter Foundation Learning Centre in Deakin. It delivers travelling exhibitions and high-impact face-to-face STEM (science, technology, engineering and mathematics) programs to schools, teachers and communities in rural and remote Australia.

The case

To support the Australian Government's climate change response and plan to achieve net zero through the transformation of Australian industries, Questacon delivers experiences that promote better understanding of climate change, energy, waste and environmental science. Questacon also actively manages its own impacts on the environment and contributes to national and United Nations Sustainability Goals by reducing emissions in line with APS Net Zero 2030 policies.

The approach

Questacon started its net zero journey in 2020 by measuring its 2019 emissions footprint based on the Climate Active Carbon Neutral Organisation standard. The emissions inventory listed all its scope 1, 2 and 3 emission sources, and was used to identify emissions reduction opportunities. A plan was established to deliver emissions reductions that were achievable within 2 to 5 years.

Using the footprint breakdown, Questacon worked with DISR's Property Team and others to identify the first three opportunities to commence reducing Questacon's emissions footprint by the end of 2024.

1. Gas to electric transition

In 2020, DISR completed a review of building services which included a focus on Questacon's gas infrastructure. The review noted that Questacon's gas boilers were at the end of their useful economic life and required replacement. The boilers will be replaced with high efficiency electric heat pump technology. By also switching café gas appliances to electric, Questacon will be able to remove all gas infrastructure from the building which will improve safety and result in a 47% reduction of scope 1 emissions.

2. Reduce refrigerant emissions

All refrigeration equipment leaks some gas. With the installation of new heat pump units, Questacon will be switching to a refrigerant gas with a much lower global warming potential than the gas that is currently being used. Questacon will also aim to minimise leakage with monitoring

and regular maintenance. Use of a lower global warming potential gas will reduce Questacon's scope 1 emissions by at least 27%.

3. Increase on-site renewable energy

Questacon needed to replace the hail-damaged zinc roof sheets on its curved roofs. For approximately the same cost as zinc replacement, Questacon installed polycarbonate solar panels on cheaper steel roof sheets. The solar panels have increased Questacon's solar generating capacity from 117kW to 175kW.

Looking ahead

Questacon is working with DISR and SG Fleet (DISR's fleet management specialists) to transition fleet vehicles to electric. Questacon will continue to improve energy efficiency and environmental management at the centres and will be looking for ways to reduce travel-related emissions. Questacon is also implementing long-term plans and processes to further reduce emissions as well as developing offsets principles that will help with identification of offsets that support Questacon's net zero aims.

Lessons learned

Achieving net zero requires a collective effort and it will not happen overnight. There are many emissions that are outside the direct control of Questacon, with heavy reliance on the actions of suppliers and contractors. However, it will be possible to exercise influence over scope 3 emissions by selecting low emissions goods and services where they become available.



Figure 1: Polycarbonate solar panels on Questacon's curved roof

Responsibilities and governance

The Australian Government's APS Net Zero by 2030 commitment requires Commonwealth entities to report their greenhouse gas emissions consistently to track progress to net zero emissions. As part of the reporting requirements under section 516A of the *Environment Protection and Biodiversity Conservation Act 1999*, and in line with the Strategy, all non-corporate and corporate Commonwealth entities¹ were required to publicly report on the emissions from their operations in Australia or Australia's external territories, commencing with public reporting of 2022-23 emissions in their annual reports. Commonwealth companies will commence reporting from 2023-24.

Entities are responsible for ensuring the data that is collected and collated to calculate their emissions is accurate and complete as possible. Entities are ultimately responsible for their own data and its verification.

The Department of Finance is responsible for final collation, ensuring the data meets adequate standards for use (data validation), analysing calculated emissions data from entities and producing and publishing the Annual Progress Report by the end of each calendar year.

Although best efforts have been made to report with accuracy, some factors are beyond the control of the Department of Finance and the individual entities reporting within this document. Entities may have to rely upon assumptions and estimates to calculate some emissions, although this is not encouraged. Many entities reported on their emissions in 2022-23 for the first time in a decade, with differing staff capability across entities to collect, verify and validate relevant data, supported by the Department of Finance.

Emissions reporting for 2022-23 has been disclosed in good faith, noting best efforts have been made to present accurate and complete data. Further efforts are underway to identify and disclose any uncertainty, inaccuracy or other issues – see Appendix A for further information. Processes are being developed to mitigate these issues in the future to the best extent possible.

In addition to identifying and mitigating inaccuracies, the Department of Finance practices continuous improvement in climate-related data reporting. The quality of data is expected to improve over time as emissions reporting matures, and as future expansions to the Emissions Reporting Framework are developed to capture data from additional scope 3 emission sources. The Department of Finance will continue to support further capability uplift across entities by providing advice, guidance, tools, case studies and training programs. The Climate Action in Government Operations website and GovTEAMS community include general information and guidance to assist entities.

¹ Non-corporate and corporate Commonwealth entities and Commonwealth companies are listed in the <u>Public</u> Governance, Performance and Accountability Act flipchart and list | Department of Finance.

2022-23 Results

Whole-of-Australian-Government emissions

Data within this report presents an aggregate summary of emissions reported by 158 non-corporate and corporate Commonwealth entities for the 2022-23 financial year.

Figure 2 and Figure 4 show the percentage of emissions for each scope (1, 2 and 3) by activity.

Figure 3 and Figure 5 show the percentage of emissions from their respective activities, including electricity, natural gas, fleet vehicles, domestic flights and other energy (further categorised as Defence and non-Defence).


Electricity emissions have been calculated with the location-based method (Figure 2 and Figure 3) and market-based method (Figure 4 and Figure 5), with further explanation of the calculation methods in the Electricity chapter.

Location-based emissions breakdown

Emission source	Scope 1 (t CO ₂ -e)	Scope 2 (t CO ₂ -e)	Scope 3 (t CO ₂ -e)	Sum of emissions (t CO ₂ -e)
Electricity (Location-based method)	N/A	1,235,551	134,903	1,370,454
Natural gas	100,975	N/A	19,627	120,602
Fleet vehicles	212,139	N/A	54,114	266,253
Domestic flights	8,098	N/A	182,974	191,072
Other energy	1,067,935	N/A	270,012	1,337,947
Other energy – non-Defence	20,641	N/A	5,743	26,384
Other energy - Defence	1,047,294	N/A	264,269	1,311,563
Sum of emissions (t CO ₂ -e)	1,389,147	1,235,551	661,630	3,286,328

Table 1: Australian Government Greenhouse Gas Emissions Inventory – Location-based method

Notes: Other energy has been split into two categories – Defence and non-Defence. Other energy – Defence includes emissions reported by the Department of Defence that are a result of Defence operations.






Figure 3: Percentage of emissions by activity (location-based method)

Market-based method emissions breakdown

			· · · ·	
Emission source	Scope 1 (t CO ₂ -e)	Scope 2 (t CO ₂ -e)	Scope 3 (t CO ₂ -e)	Sum of emissions (t CO ₂ -e)
Electricity (Market-based method)	N/A	886,858	117,379	1,004,237
Natural gas	100,975	N/A	19,627	120,602
Fleet vehicles	212,139	N/A	54,114	266,253
Domestic flights	8,098	N/A	182,974	191,072
Other energy	1,067,935	N/A	270,012	1,337,947
Other energy – non-Defence	20,641	N/A	5,743	26,384
Other energy – Defence	1,047,294	N/A	264,269	1,311,563
Sum of emissions (t CO ₂ -e)	1,389,147	886,858	644,106	2,920,111

Table 2: Australian Government Greenhouse Gas Emissions Inventory – Market-based method

Notes: The market-based values above are calculated for the total of all entities, rather than calculated on an individual entity basis. This means the values presented in separate annual reports will not sum to the above values.





Figure 4: Percentage of emission sources for each scope (market-based method)



Case study: Tourism Australia

Tourism Australia is the Australian Government agency responsible for attracting international visitors to Australia, both for leisure and business events, all while fostering a competitive and sustainable tourism industry. In striving to achieve this goal, Tourism Australia places great importance on respecting and protecting the cultures, landscapes and wildlife that are integral to Australia's appeal as a destination.

The case

Aligning to the organisation's purpose, in 2023 Tourism Australia sought to certify its premiere trade event, the Australian Tourism Exchange (ATE), as a <u>Climate Active Carbon Neutral event</u> to lessen its impact on the environment. Held annually, the ATE is the Australian tourism industry's largest annual business-to-business event with over 2000 local and foreign delegates in attendance from over 30 countries.

The approach

To achieve carbon neutrality for ATE23, Tourism Australia partnered with Rewild Agency to calculate the carbon footprint of the event and secure certification from Climate Active. Before the event, the two organisations worked together to model a preliminary carbon footprint, taking into

consideration key emission sources such as attendee travel, catering, waste and electricity consumption. Attempts to reduce the event's carbon footprint included:

- using 100% recyclable front and back graphic panels in seller booths
- partnering with Meet PAT on water filling stations
- minimising and/or eliminating the use of single-use plastics at catered events
- encouraging delegates to offset their flights to the Gold Coast.

After the event, Rewild Agency refined the preliminary footprint using real time data collected during the event to accurately measure the event footprint and create a post-event assessment, a requirement for Climate Active Carbon Neutral Event Certifications.

- Attendee travel: Tourism Australia estimated the total travel distance for the 2,500 delegates attending ATE. Tourism Australia concluded that 25% of delegates travelled regionally (within QLD), 48% nationally (within Australia) and 27% internationally.
- **Catering**: Menus for all catered meals were provided to Rewild to calculate the carbon footprint. This included daily breakfast, morning tea, lunch and afternoon tea, as well as canape service.
- **Signage**: 569 shell scheme exhibition booths were erected on the tradeshow floor using 100% recyclable front and back graphic panels. After the event, the graphic panels were recycled, and the booth shells returned.
- Waste: The Gold Coast Convention and Exhibition Centre provided Tourism Australia with a breakdown of all co-mix recycling, cardboard or paper, food and general waste created during the event.



Figure 6: Australian Tourism Exchange

In addition to those measures taken for ATE23, the below recommendations will be implemented for ATE24 to reduce the event's carbon footprint:

- Reusing rigged state banners from ATE23
- Leveraging Melbourne Convention and Exhibition Centre's partnership with OzHarvest to reduce food waste
- Increasing provision of low carbon meals and plant-based dishes to 60% of all dishes
- Raising awareness of low carbon forms of transport and air travel schemes amongst delegates.

By adopting these strategies, Tourism Australia aims to lead the way for its industry.

Electricity

Electricity emissions include indirect emissions produced as a result of the burning of fossil fuels by the generator of the electricity (scope 2), and emissions associated with transmission and distribution losses from electricity use (scope 3). Electricity emissions have been calculated using the location-based method and market-based method.

Location-based vs. market-based electricity emissions calculation method

There are two methods for estimating electricity emissions: the location-based method and the market-based method. Reporting electricity emissions under both methods provides different perspectives of the emissions associated with an entity's electricity usage.

Location-based method

The location-based method is a way to estimate an entity's electricity emissions based on its geographical location. This method takes into account the intensity of emissions from electricity generation in the state or territory where the entity operates.

The key component of this method is the location-based scope 2 emission factors (see Appendix C). These are state-based emission factors derived from on-grid electricity generation, and they are calculated using the physical characteristics of the electricity grid. These factors are updated each financial year, reflecting the electricity generation within each state and territory. They also consider interstate electricity flows and the emissions attributable to those flows.

The location-based method calculates an average emission factor for all electricity consumed from the grid in a given state, territory or electricity grid. This method of reporting mirrors the emissions intensity of the grid where the electricity consumption takes place.

In Australia there are state-based emission factors, sourced from the National Greenhouse Accounts Factors, that are used to convert electricity consumption into an equivalent amount of emissions. The location-based method provides a snapshot of an entity's electricity emissions in relation to its location and the emissions intensity of the electricity grid it depends on.

It is important to note that this method reflects the average emissions intensity of the electricity grid in the location where energy consumption occurs. However, it does not permit any claims of renewable electricity from grid-imported electricity usage. This means that even if an entity uses renewable energy sources or purchases GreenPower or large-scale generation certificates, this will not be reflected in the location-based method's estimation of their emissions.

Market-based method


The market-based method is a strategy for estimating an entity's electricity emissions based on its investments in different electricity products and markets. This includes both voluntary purchases of renewable electricity and mandatory schemes like the Renewable Energy Target.

This method provides a snapshot of an entity's electricity emissions in the context of its renewable energy investments. It reflects the emissions intensity of various electricity products, markets and investments. A key component of this method is the use of a residual mix factor (see Appendix C), which allows for unique claims on the zero-emissions attribute of renewables without double-counting.

The market-based method assigns an emissions factor of zero to an entity's investments in renewable electricity. It then uses a national residual mix factor, sourced from the National Greenhouse Accounts Factors, to calculate emissions from any remaining electricity consumption.

However, when entities consume electricity from the grid, they are using electricity generated from a variety of technologies in operation at the time of consumption, which may include non-renewable sources. While the market-based method allows entities to align their consumption with investments in renewable electricity, it does not imply that they are consuming electricity solely from renewable generators.

In 2022-23, the 158 entities reporting emitted an approximate aggregate sum of 1,370,454 t CO₂e associated with electricity usage calculated by the location-based method, or 1,004,237 t CO₂e, calculated by the market-based method (see Figure 7).



Location-based electricity emissions

The location-based method allows emissions associated with electricity usage to be calculated by state (see Table 3).

State/Territory	Electricity usage (kWh)	Electricity usage (GJ)	Scope 2 emissions (t CO ₂ -e)	Scope 3 emissions (t CO ₂ -e)	Sum of reported emissions (t CO ₂ -e)
NSW	455,272,013	1,639,329	332,781	27,384	360,165
ACT	390,053,070	1,404,191	284,817	23,417	308,234
NT	124,033,796	446,522	67,008	8,654	75,662
QLD	277,943,464	1,000,596	204,283	41,100	245,383

State/Territory	Electricity usage (kWh)	Electricity usage (GJ)	Scope 2 emissions (t CO ₂ -e)	Scope 3 emissions (t CO ₂ -e)	Sum of reported emissions (t CO ₂ -e)
SA	113,825,604	409,772	28,755	9,077	37,832
TAS	22,759,345	81,934	3,856	241	4,097
VIC	287,792,624	1,037,284	245,880	20,433	266,313
WA	117,108,439	421,590	68,171	4,597	72,768
Total	1,788,788,355	6,441,218	1,235,551	134,903	1,370,454

Market-based electricity emissions

The market-based method does not allow for electricity emissions to be calculated for each state as it is based on the entire electricity grid and its renewable percentage without regard to state lines. For example, an entity in Sydney may purchase eligible large-scale generation certificates which are produced in South Australia, which are then considered voluntarily purchased renewable energy.

Renewable energy used by Commonwealth entities comes from voluntary and mandatory renewable energy sources representing a total renewable percentage of 41%. Voluntary sources are those where a decision has been made to purchase renewable energy, such as large-scale generation certificates purchased and retired (3%), purchased GreenPower (3%) or electricity consumed in the ACT (16%) where renewable energy is purchased by the ACT Government. The behind-the-grid on-site electricity produced and consumed by Commonwealth entities is currently unknown. The remaining renewable energy used by Commonwealth entities comes from the mandatory Large-scale Renewable Energy Target both in the ACT (4%) and outside (15%) (see Table 4).

Electricity usage	Emissions	Renewable percentage
(kWh)	(t CO ₂ -e)	of total
59,453,989	-	3%
53,836,029	-	3%
289,146,341	-	16%
73,329,977	-	4%
262,962,234	-	15%
738,728,569	-	41%
1,050,059,785	1,036,001	
1,788,788,354	1,004,237	
927,325,525	886,858	
122,734,261	117,379	
	usage (kWh) 59,453,989 53,836,029 289,146,341 73,329,977 262,962,234 738,728,569 1,050,059,785 1,788,788,354 927,325,525	usage (kWh) (t CO2-e) 59,453,989 - 53,836,029 - 289,146,341 - 73,329,977 - 262,962,234 - 738,728,569 - 1,050,059,785 1,036,001 1,788,788,354 1,004,237 927,325,525 886,858

Table 4: Electricity emissions and renewable percentages (market-based method)

Case study: Department of Agriculture, Fisheries and Forestry

The Department of Agriculture, Fisheries and Forestry (DAFF) is the Australian Government agency responsible for supporting and enhancing Australia's agricultural, fisheries and forestry industries, helping to make them more productive and sustainable. The diverse roles and functions of the Department include biosecurity operations, trade and technical market access, world-class science and research, policy advice to government, program administration, client services to industry and regulation. This diversity in role and function is a challenge for the Department in reducing its greenhouse gas emissions. DAFF is committed to reducing its operational emissions in line with the APS Net Zero 2030 target while still achieving the objectives of industry growth, biosecurity and resilience as well as sustainability of agriculture, fisheries and forestry industries.

The case

A component of DAFF's leasing strategy is to occupy buildings that are more energy efficient. DAFF negotiates lease renewals to improve energy efficiency and increase National Australian Built Environment Rating System (NABERS) ratings where possible. In new leases, the Department implements Green Lease Schedules where applicable and seeks highly efficient buildings whenever possible. An example is DAFF's recent consolidation from several older buildings in Canberra to Agriculture House. Agriculture House is a new building, fit for purpose for the Department. It features energy efficient technologies such as light-emitting diode lighting, double glazed windows and effective lighting and air conditioning controls to ensure energy efficient operation and limit unnecessary energy use after hours.

The approach

As part of lease negotiations, DAFF set a minimum agreed base building NABERS rating of 5 stars. This ensured all aspects of building and fit-out design considered energy efficiency wherever possible. By including this in upfront negotiations, it was seamless for the building owner to ensure all design aspects aligned to the target rating. The NABERS rating can be achieved when the building performance is assessed after a full 15 months of typical occupancy. At the time of this report, the estimated rating is tracking to achieve 5 stars. In the interim, an assessment was conducted of energy use after 6 months of occupancy at Agriculture House, compared to consumption at previous buildings. The data indicated that Agriculture House is twice as energy efficient (measured as energy used per square metre) than DAFF's previous offices combined. This has resulted in significant reduction of emissions by 1,379 t CO₂-e per year.

Looking ahead

DAFF is reviewing the strategy for its current lease portfolio and considering how leasing decisions can further support sustainability in its complex operational environments. Adopting a more sustainable approach to leasing and property management across its portfolio will generate financial and climate benefits both for the department, its landlords and building owners.


Lessons learned

Energy efficient technologies can generate large savings and decrease long-term emissions. DAFF continues to seek energy efficient options where possible and implement Green Lease Schedules in new lease agreements as required.

Natural gas

Natural gas includes emissions produced by combustion of natural gas (scope 1), and indirect emissions associated with the extraction, production and transportation of natural gas (scope 3).

In 2022-23, the 158 entities reporting emitted an approximate aggregate sum of 120,602 t CO_2 -e associated with natural gas (see Figure 8 and Table 5).



State/Territory	Usage (GJ)	Scope 1 emissions	Scope 3 emissions	Sum of reported emissions
		(t CO ₂ -e)	(t CO ₂ -e)	(t CO ₂ -e)
NSW/ACT ¹	1,228,243	63,293	16,092	79,385
NT	11,787	608	96	704
QLD	36,356	1,874	316	2,190
SA	56,245	2,899	602	3,501
TAS	2,823	146	23	169
VIC	605,217	31,187	2,421	33,608
WA	18,769	968	77	1,045
Total	1,959,440	100,975	19,627	120,602

Table 5: Natural gas emissions by state/territory and scope

¹ NSW and ACT use the same emission factors for natural gas. During data collection, natural gas was combined using an NSW/ACT option and cannot be separated in the results.

Case study: Australian National University

The Australian National University (ANU) is a tertiary institution with a strong research focus. Employing over 4000 staff, ANU provides a unique educational experience to over 22,000 international and domestic students from across Australia and 100 countries around the world. The main ANU campus is in Canberra, ACT.

The case

ANU is committed to effective climate action, with a current priority to reduce direct on-campus and energy emissions (scope 1 and 2), and indirect emissions from business travel and waste (partial scope 3). ANU is also developing its own in-setting projects for carbon removal.

The approach

A major program to reduce emissions on campus includes capital works projects to transition away from natural gas boilers in its current buildings. In 2023 winter, for the first time, four buildings were heated using electric heat pumps. The heat pumps replaced gas boilers, providing space and laboratory heating without relying on fossil fuels. This project has reduced ANU's carbon footprint by 230 t CO₂-e per annum. Heat pumps operate at 250-300% of the energy efficiency of natural gas boilers, reducing the energy required to heat the buildings. ANU is deploying a range of heat pump technologies that are new in Australia within a retrofit capacity and have yet to be deployed at campus scale to date. Meeting the challenges requires innovation and a multidisciplinary approach to the design and implementation.

Looking ahead

Installation of heat pumps is an integral part of a long-term strategy to decarbonise the campus, as is efficiently managing the energy requirements across buildings. One innovative option being explored is establishing large-scale central electric hubs that redistribute thermal load across connected buildings. Central hubs can be a highly efficient and cost-effective degasification pathway. Linking buildings to a central plant powered by renewable electricity means energy can be transferred between buildings or stored for use at different times of the day. This strategy also supports capturing waste heat and redistributing it between buildings.

Lessons learned

There are technical challenges to consider when retrofitting buildings with heat pumps, including increased spatial requirements, power upgrades and the integration with other aged mechanical equipment in the buildings. While it is necessary for significant capital expenditure upfront, the system has a payback period of about 20 years. After the initial payback period, ongoing operational costs are likely to be significantly reduced due to lower energy requirements and efficiencies (dependent on future gas and electricity price predictions).

For more information visit the ANU Below Zero Program.

Fleet vehicles

Fleet vehicle emissions include emissions from the combustion of fuels used by Commonwealth entities in their vehicle fleets (scope 1), and indirect emissions associated with the extraction, production and transportation of the fuels (scope 3). Fleet vehicles included in this section are the Australian Government's Commonwealth Fleet under the Whole of Government Vehicle Leasing

and Fleet Management arrangement, in addition to other vehicles operated by the 158 different entities, such as cars, trucks, motorcycles, marine craft and other similar vehicles. Some Department of Defence vehicles are recorded here, whilst others are included in the Other Energy – Defence section.

In 2022-23, the 158 entities reporting emitted an approximate aggregate sum of 266,253 t CO_2 -e associated with fleet vehicles. Emissions have been sorted by fuel type and vehicle type (Table 6).

Vehicle type	Fuel type	Energy	Scope 1 emissions	Scope 3 emissions	Sum of reported emissions
		(GJ)	(t CO2-e)	(t CO2-e)	(t CO2-e)
1.A.3.b Road tr	ansportation	2,185,724	153,184	37,774	190,958
1.A.3.b.i Cars		733,683	50,995	12,650	63,645
	Diesel	531,845	37,448	9,201	46,649
	Ethanol mix (ethanol component)	21,026	1,322	337	1,659
	Gasoline	180,537	12,208	3,106	15,314
	Liquid Petroleum Gas (LPG)	275	17	6	23
1.A.3.b.ii Light c	luty trucks	774	53	14	67
	Diesel	168	12	3	15
	Gasoline	464	32	8	40
	Liquid Petroleum Gas (LPG)	142	9	3	12
1.A.3.b.iii Heavy	/ duty trucks and buses	1,451,011	102,117	25,104	127,221
	Diesel	1,450,355	102,072	25,092	127,164
	Ethanol mix (ethanol component)	86	6	2	8
	Gasoline	570	39	10	49
1.A.3.b.iv Motor		256	19	6	25
	Ethanol mix (ethanol component)	1	1	1	2
	Gasoline	255	18	5	23
1.A.3.d Water-k	oorne navigation	747,588	51,593	13,942	65,535
1.A.3.d.ii Domes	stic marine	747,588	51,593	13,942	65,535
	Other Biofuels	169	1	0	1
	Diesel	739,338	51,045	13,803	64,848
	Gasoline	8,081	547	139	686
1.A.3.e Other to	ransportation	119,153	7,330	2,388	9,718
1.A.3.e.ii Other	(off road vehicles)	119,153	7,330	2,388	9,718
	Diesel	5,895	416	102	518
	Gasoline	637	44	11	55
	Liquid Petroleum Gas (LPG)	112,621	6,870	2,275	9,145
1.A.4 Other sec		436	32	10	42
1.A.4.c.ii Agricu vehicles and oth	Iture/Forestry/Fishing - Off road	406	29	8	37
	Diesel	395	28	7	35
	Liquid Petroleum Gas (LPG)	11	1	1	2
1.A.4.c.iii Agricu combustion	Iture/Forestry/Fishing - Mobile	30	3	2	5
	Diesel	9	1	1	2
	Gasoline	21	2	1	3
Total		3,052,901	212,139	54,114	266,253

Table 6: Elect vehicle emissions by	wyohicle type, fuel type and scope
Table 6. Fleet vehicle eniissions b	y vehicle type, fuel type and scope

Case study: Services Australia

As the government's primary service delivery agency that delivers Medicare, Centrelink and Child Support services to support individuals, families and communities, Services Australia supports Australians around the nation when they need it the most.

The case

In 2022, the Department of Finance updated the Whole-of-Australian-Government Fleet Vehicle Selection Policy to require the selection of low emission vehicles. The change in policy impacted Services Australia in particular, given the diverse portfolio of vehicles it maintains to meet the needs of clients across Australia, as well as the emergency support it provides in remote, regional and Australian offshore islands. In addition to maintaining a significant fleet of up to 450 vehicles for its own purposes, Services Australia is a shared service provider to six client agencies with diverse fleets totalling up to 250 vehicles.

The approach

The change in policy required a co-ordinated approach by Services Australia. As a result, a multidisciplinary team was established in January 2023. The team developed a data-driven approach using fleet-wide vehicle usage data, which was used to prioritise the most suitable vehicle selections and supporting infrastructure. The team established an internal approval process as well as a risk assessment framework that supported a coordinated approach to the implementation.

Charging infrastructure for new low emission vehicles was assessed as a priority to provide assurance of functionality to each business area. Public infrastructure charging trials have confirmed an in-house charger is the preferred option, ensuring less resources are deployed to arrange vehicle charging. After consultation with a wide range of government agencies and private providers, a ratio of one charger per low emission vehicle was determined as optimal. The recommended charging infrastructure is expected to future proof the low emission vehicle requirements by using 22kW chargers that exceed the current requirements of many fleet vehicles.

Looking ahead

Services Australia's first low emission vehicle arrived in Perth in July 2023. It is part of 300 vehicles expected to make the switch over the next few years. To date, 103 low emission vehicles have been ordered, with 15 delivered. The team continues to place vehicle orders and is working collaboratively to ensure the delivery of vehicles is in line with the infrastructure installation, to minimise disruptions to service delivery.

Lessons learned

Services Australia leases most of its properties which necessitates negotiations with property owners to arrange infrastructure installation. These negotiations have proven more fruitful by engaging with the property owners as early as possible, given the time required for consideration and additional site assessments. These assessments include examining risks to further provide assurance to business areas of the performance and safety of the arrangements. With a large property portfolio, the prioritisation of sites for infrastructure installation is key and will depend on both the vehicle ordering requirements and end of lease negotiations that will occur.

Domestic flights

Domestic flight emissions include:

- direct emissions from the combustion of fuels used for domestic aviation purposes by Commonwealth entities (scope 1), for example, owned and/or leased aircraft for charter flights and research purposes
- indirect emissions associated with the fuels for commercial flights (scope 3)
- indirect emissions associated with the extraction, production and transportation of the fuels for commercial flights (scope 3).

Domestic flights included in this section are commercial flights, in addition to some other flights. It does not include non-commercial Department of Defence flights, some of which are included in the Other Energy section.

Domestic flights have been recorded using two different methods dependent on the level of information known by the entity:

- 1. Where the gasoline or kerosene for aviation use was known either in terms of Litres or GJ, this has been reported and emission factors have been applied to the fuel use. This occurred only for domestic aviation in owned and/or lease aircraft.
- 2. Where only the distance of travel (km) and the cabin class of the journey is known, then emission factors have been applied using this information.

In 2022-23, the 158 entities reporting emitted an approximate aggregate sum of 191,072 t CO_2 -e associated with domestic flights. Emissions have been sorted by fuel type and commercial cabin class (Table 7).

Emission source	Passenger kilometres	Energy	Scope 1 emissions	Scope 3 emissions	Sum of reported emissions
	(km)	(GJ)	(t CO ₂ -e)	(t CO ₂ -e)	(t CO ₂ -e)
Gasoline for use as fuel in an aircraft- aviation	N/A	56,204	3,803	1,012	4,815
Kerosene for use as fuel in an aircraft- aviation	N/A	61,161	4,295	1,101	5,396
Economy class	1,264,129,351	N/A	0	167,777	167,777
Business class	64,733,696	N/A	0	12,895	12,895
Premium economy	953,062	N/A	0	187	187
First class	7,481	N/A	0	2	2
Total	1,329,823,590	117,365	8,098	182,974	191,072

Table 7: Flight emissions

Other energy

Other energy includes scope 1, scope 2 and scope 3 emissions. The category reflects emission sources which were not captured in the Electricity, Natural Gas, Fleet Vehicles and Domestic Flights sections.

During collection, data for all sources listed in Table 8 were collected across entities, however some categories have been separated and reported under other sections to represent the aggregated emissions more accurately from those sources. For example:

- 1.A.4.c.ii Agriculture/Forestry/Fishing Off road vehicles and other machinery, 1.A.4.c.iii Agriculture/Forestry/Fishing - Mobile combustion, and 1.A.3 Transport, have been reported in the Domestic Flights and Fleet Vehicles sections, and,
- 1.A.4.a.i Stationary Fuel Combustion Natural gas has been reported in the Natural gas section.

Data in this table also includes emissions from the Department of Defence, including a mix of Defence operations emissions other than those captured under electricity, natural gas, domestic flights and fleet vehicles, under 1.a.5.b Defence other energy – Land, marine, aviation which includes petrol, jet fuel and diesel delivered to the military for use on land, in aviation and marine transport.

Note that 1.A.4 Other sectors - Liquid petroleum gas (LPG) (stationary) includes emissions from entities, including Department of Defence.

In 2022-23, the 158 entities reporting emitted an approximate aggregate sum of 1,337,947 t CO₂e as Other Energy. Emissions have been sorted by source or fuel type in Table 8.

Emission source/fuel type	Energy (GJ)	Scope 1 emissions (t CO ₂ -e)	Scope 3 emissions (t CO ₂ -e)	Sum of reported emissions (t CO ₂ -e)	
1.A.1 Energy industries	(00)	(10020)	(10020)	(10020)	
1.A.2 Manufacturing industries and construction					
1.A.3 Transport					
1.A.3.a.ii Domestic aviation					
1.A.3.b.i Cars					
1.A.3.b.ii Light duty trucks					
1.A.3.b.iii Heavy duty trucks and buses		Reported in Domestic Flights/Fleet Vehicles			
1.A.3.b.iv Motorcycles					
1.A.3.d.ii Domestic marine					
1.A.3.e.ii Other (off road vehicles)					
1.A.4 Other sectors					
1.A.4.a. Commercial/institutional					
Automotive gasoline/petrol (used as fuel for stationary energy)	1,634	111	29	140	

Emission source/fuel type	Energy	Scope 1 emissions	Scope 3 emissions	Sum of reported emissions
	(GJ)	(t CO ₂ -e)	(t CO ₂ -e)	(t CO ₂ -e)
Compressed natural gas (reverting to standard conditions)	46	3	1	4
Diesel oil	185,889	13,050	3,216	16,266
Gaseous fossil fuels other than those mentioned in the items above	3	1	0	1
Kerosene other than for use as a fuel in an aircraft	2,847	197	52	249
Liquid petroleum gas (LPG) (stationary)	119,255	7,272	2,409	9,681
Petroleum based greases	1,986	7	36	43
1.A.4.a.i Stationary fuel combustion				
Natural gas		Reported in	n Natural Gas	
1.A.4.b. Residential	0	0	0	0
1.A.4.c.i Agriculture/Forestry/Fishing - Stationary Energy	0	0	0	0
1.A.4.c.ii Agriculture/Forestry/Fishing - Off road vehicles and other machinery		Reported in	Fleet Vehicles	
1.A.4.c.iii Agriculture/Forestry/Fishing - Mobile combustion				
1.A.5 Non-specified				
1.a.5.b Defence Other Energy – Land, Marine, Aviation	14,894,187	1,047,294	264,269	1,311,563
Total	15,205,847	1,067,935	270,012	1,337,947

Case study: The Great Barrier Reef Marine Park Authority


The Great Barrier Reef Marine Park Authority (Reef Authority) is Australia's lead management agency for the Great Barrier Reef, one of the world's most iconic natural areas. Its main office is in Townsville and regional offices are located in Cairns, Yeppoon and Brisbane. The Reef Authority Sustainability Strategy will set new targets with enabling initiatives to help move towards net zero emissions in its operations by 2030. The Reef Authority sees the effect that marine debris and pollution (especially plastics) has on marine life on the Great Barrier Reef and supports a circular economy and initiatives that minimise waste going to landfill.

The case

Reef Authority services are delivered using a range of assets that produce carbon emissions and waste. The Reef Authority owns a public aquarium facility (the Great Barrier Reef Aquarium) which was a high energy user until deep energy efficiency initiatives were implemented. Reef Authority programs also include the use of marine vessels and aviation for aerial surveillance which use hard to abate fuels and operate in regional areas across of the length of the Great Barrier Reef.

The approach

Starting with the Great Barrier Reef Aquarium over 15 years ago, the Reef Authority set ambitious energy use reduction targets that led to a 50% reduction in energy use for the facility. A suite of measures was used, including operational changes such as increasing the indoor air-conditioning set points and improving maintenance of energy using systems. Much larger energy efficiency retrofit actions included installing high efficiency chilling systems, using renewable energy systems and using thermal/electrical storage. A rooftop 260kW solar power station was installed at the aquarium in stages along with 20 tonnes of thermal water storage and 20 tonnes of ice storage that was part of the Australian Renewable Agency Advancing Renewables Project. The new thermal ice storage system included a carbon neutral refrigerant.



In recent years, the Reef Authority has put in place a Sustainability Strategy, including a roadmap to net zero, and systems to accurately track carbon emissions and waste. Recent procurements have included sustainability criteria to ensure that procurements align with the sustainability principles of the Reef Authority.

Recent achievements

In the last two years, the Reef Authority has implemented numerous key initiatives including:

- transitioning to 100% GreenPower for all properties it fully leases or owns
- transitioning 75% of its vehicle fleet to zero emissions vehicles
- moving to a 5 Star NABERS rated head office
- engaging with Green Star certification for its head office fit-out
- implementing a carbon accounting software tool
- aligning with the Reef Authority re-branding, choosing 100% natural fibre corporate uniforms that align to Nature Positive and Circular Economy principles
- investigating options for sustainable marine fuels and options for reducing emissions associated with aerial surveillance.

Looking ahead

The Reef Authority is finalising a sustainable procurement framework to assist staff to minimise emissions and waste through procurements. Priority areas in the short term are:

- improving its emissions data collection with a focus on scope 3 emissions
- investigating innovative techniques to collect waste data efficiently in the Reef Authority head office accommodation
- working with partners and stakeholders to find solutions for the hard-to-abate emissions, such as marine and aviation fuels, so the Reef Authority can deliver its services with the lowest possible impact.

Lessons learned

The Reef Authority has increased its understanding of sustainable options that are available, which allows it to be more specific in establishing performance criteria. The approach is to listen to internal and external stakeholder concerns and address these concerns whilst gaining an understanding of value for money beyond up-front cost and having evidence-based information to articulate non-financial and indirect benefits. Decision makers can then be provided with the justification they need to make sustainable choices. Further, re-configuration of its finance system to allow better collection of emissions data will be beneficial to prioritisation of emissions reduction initiatives.

Appendix A: Caveats

Annual report differences

Data in the Net Zero in Government Operations Annual Progress Report may vary from that in individual entity annual reports due to variations in internal deadlines to finalise annual reports for each entity. Data cleansing may have occurred after entity's annual report deadlines, and, as such, data in the Annual Progress Report has been updated to better reflect actual emission data. Where this is the case, an updated Emissions Reporting Tool will be provided to entities with the expectation that updates will be reported in their annual report the following year.

Entity-specific caveats

Entity-specific caveats are outlined below to maintain transparency and accountability. These caveats may also be a factor in explaining discrepancies with future reporting.

Entity	Caveat
Anindilyakwa Land Council	Fleet data was not disaggregated.
Asbestos Safety and Eradication Agency	Electricity consumption data from 25 July 2022 to 31 January 2023 for a Canberra office was estimated based on consumption between 1 February 2023 to 30 June 2023.
Austrade	A portion of electricity consumption data was unable to be separated from landlord data and has not been included.
Australian Digital Health Agency	Electricity from three quarters missing due to errors in charging and invoicing.
Australian Hearing Services	Some electricity consumption data was unable to be separated from landlord data and has not been included.
Australian Institute of Health and Welfare	A portion of electricity consumption data for one building was unable to be separated from landlord data and has not been included.
Australian Pesticides and Veterinary Medicines Authority	Natural gas usage data was calculated for some properties/periods based on the amount paid, as itemised invoices were not available.
Australian Skills Quality Authority	A portion of electricity consumption data was extrapolated at a pro rata rate based on available data, due to billing period differences.
Commonwealth Grants Commissions	April and May 2023 electricity consumption data were available at the time of collection, the remaining 10 months were unavailable and were not included in reporting.
Commonwealth Scientific and Industrial Research Organisation	Electricity and natural gas consumption data incomplete due to billing cycle timing.
Department of Agriculture, Fisheries and Forestry	Fuel cards data not included. For additional caveats see Annual report differences and Machinery of Government changes.
Department of Climate Change, Energy, Environment and the Water	See Annual report differences and Machinery of Government changes.
Department of Defence	Some emissions data were aggregated due to national security reasons, such as accelerated military preparedness, operational and capability requirements.

Entity	Caveat
Department of Industry, Science and	See Annual report differences and Machinery of
Resources	Government changes.
Department of Infrastructure, Transport, Regional Development, Communications and	See Annual report differences and Machinery of Government changes.
the Arts	
Director of National Parks	Elements of office data are reported under the Department of Climate Change, Energy, the Environment and Water due to Memorandum of Understanding or Service Level Agreements. For additional caveats see Annual report differences and Machinery of Government changes.
Fisheries Research and Development Corporation	Electricity consumption data from Adelaide office was unable to be separated from Landlord data and has not been included.
Murray-Darling Basin Authority	Electricity consumption data for offices in Adelaide, Albury-Wodonga and Toowoomba unable to be obtained. 29 total work points within these offices unable to be reported on.
National Indigenous Australians Agency	Electricity and natural gas consumption data incomplete due to billing cycle timing.
Office of the Fair Work Ombudsman	Electricity consumption data from Launceston office was unable to be separated from landlord data and has not been included
Office of the Special Investigator	A portion of electricity consumption data was unable to be separated from shared service provider data and has not been included.
The Office of the Australian Information Commissioner	Electricity consumption data from one tenancy (four- person office) was unable to be separated from shared service provider data and has not been included.
Productivity Commission	Electricity consumption data from a 6-month period in a small Adelaide office was unable to be separated from Landlord data and has not been included.
Services Australia	Electricity and natural gas consumption data incomplete due to billing cycle timing. Elements of office data are reported under other entities due to Memorandum of Understanding/Service Level Agreements.

Machinery of Government changes

Domestic flights

Following Machinery of Government changes that took effect from 1 July 2022, many flights for the Department of Climate Change, Energy, the Environment and Water (DCCEEW) staff, and some from the Director of National Parks (DNP), were booked in 2022-23 using the systems of the Department of Agriculture, Fisheries and Forestry (DAFF); the Department of Industry, Science and Resources (DISR); and the Department of Infrastructure, Transport, Regional Development, Communications and the Arts (DITRDCA). In collaboration with all affected entities, DCCEEW and DNP flights were identified and separated from the other entities. Data reported from DCCEEW, DNP, DAFF, DISR and DITRDCA may contain some flights that were cancelled or not flown, and/or some flights that belong to another entity.

Entities reporting to the National Greenhouse and Energy Reporting (NGER) Scheme

The following seven Commonwealth entities and companies are obligated to report under the NGER Scheme. The table below details which year of data is included in this Annual Progress Report and will match the entities' NGER reports, in the same year, for scope 1 and scope 2 emissions.

Entity	Required to report in 2022-23 for APS Net Zero	Year of data reported
Australian Postal Corporation	Yes	2021-22
Airservices Australia	Yes	2021-22
Australian National University	Yes	2022-23
Australian Nuclear Science and Technology Organisation	Yes	2022-23
Commonwealth Scientific and Industrial Research Organisation	Yes	2022-23
Snowy Hydro Limited	No (Commonwealth company)	N/A
NBN Co Limited	No (Commonwealth company)	N/A

Appendix B: Methods

For entities that participate in whole-of-Australian-Government procurement arrangements led by the Department of Finance, data was sourced from the following, where available:

- natural gas and electricity from Property Service Providers
- fleet vehicles from the Motor Vehicle Fleet Management and Leasing Services
- flights from Whole-of-Australian-Government Travel Arrangements

Where Machinery of Government changes occurred or entities ceased operations within the reporting period, advice was sought from the appropriate entities to ensure that data was being attributed to the appropriate entity.

Although best efforts were made to cleanse and correctly assign the data to the relevant entity, it is possible that some errors remain. Efforts are underway to identify and disclose these issues, and processes are being developed to mitigate, to the best extent possible, these in the future. The quality of data is expected to improve over time as emissions reporting capability matures.

Each entity was provided with either a prefilled or blank Emissions Reporting Tool, depending on if they participated in whole-of-Australian-Government arrangements.

Entities were asked to review and update the Emissions Reporting Tool where required, including filling in any additional data that was missing, before returning the completed and endorsed tool to the Department of Finance. Entities were asked not to include any estimations of activity usage. The Emissions Reporting Tool pre-calculated the total emissions, in kg CO₂-e, for each entity using the methodology outlined below.

All returned Emissions Reporting Tools were checked for data entry errors or accidental deletion of formulas, and inspections were carried out to find data anomalies and outliers. When issues were identified, advice was provided to entities to correct the data if required. Entities are ultimately responsible for their data and its verification. Data that informed this report has been endorsed by entities.

Emission calculations

Greenhouse gas emissions are aggregated as kg of carbon dioxide equivalent (kg CO₂-e) using Global Warming Potentials. As greenhouse gases vary in their radiative forcing and in their atmospheric residence time, converting emissions into a carbon dioxide equivalent over a 100-year horizon allows the integrated effect of emissions of the various gases to be compared on an equivalent basis.

Emission factors are used to convert a unit of activity into its emissions equivalent. Greenhouse gas emissions are calculated by multiplying the relevant source-specific emission factor by the quantity of the activity, to give the emissions of different greenhouse gases for each source type. Throughout this work, emissions have been calculated using the formulas as published in the <u>2023</u> <u>Australian National Greenhouse Accounts Factors</u>, published by the Department of Climate Change, Energy, the Environment and Water. Emissions factors and sources are listed in Appendix C.

Greenhouse gas emissions calculation method:

$$kg CO_2 - e = Q \times EF$$

Where:

 $kg CO_2 e$ is the greenhouse gas emissions, in kg CO₂-e Q is the activity data, in gigajoules (GJ) EF is the source specific emissions factor, in kg CO₂-e per GJ, as in Appendix C

When an emission factor is given as kg CO_2 -e /GJ but the activity data is not in GJ, then an energy content factor is also included in the calculation. The energy content factor is the amount of energy contained in fuel, measured in gross calorific value.

Greenhouse gas emissions calculation method using energy content factors:

$$kg CO_2 - e = Q \times EC \times EF$$

Where:

*kg CO*₂*e* is the greenhouse gas emissions, in kg CO₂-e *Q* is the activity data, in units other than gigajoules (e.g., kL) *EC* is the energy content factor of the fuel, e.g., GJ/kL, as in Appendix D *EF* is the source specific emissions factor, in kg CO₂-e per GJ, as in Appendix C

Emissions factors are activity-specific, and the type of activity determines the emission factor used. Emission factors for the APS Net Zero Emissions Reporting Tool are listed in Appendix C, and energy content factors are listed in Appendix D.

For each activity, if utilised by the entity, the following data was required to calculate emissions:

- Natural gas: State, Metro/Non-Metro, and Total Usage (in GJ)
- Electricity: State, Electricity Usage (kWh), and GreenPower Usage (kWh)
- Fleet vehicles: Asset Class, Unleaded Usage (L), or Ethanol Mix Usage (L), or Diesel Usage (L), or Liquid Petroleum Gas (LPG) Usage (L), or Biodiesel Usage (L)
- Flights: Departure Country, Arrival Country, Cabin Class, and Passenger kilometres
- Other energy: Emissions Category, Fuel Combusted, Fuel Type (liquid, solid or gas), Activity Data Unit, and Activity Data

Market-based method emissions calculations

While the methods above are used to calculate location-based electricity emissions, the following method is used for estimating scope 2 and scope 3 emissions released from electricity purchased or acquired and consumed using the market-based method:

Market-based method:

$$t \ CO_2 - e = \left(\left(Q - Q_{exempt} \right) \times \left(1 - (RPP + JRPP) \right) + \left(Q_{exempt} \times (1 - JRPP) \right) - (REC_{surr} - REC_{onsite}) \times 1,000 \right) \times \frac{RMF1 + RMF2}{1,000}$$

Where:

 $t CO_2 e$ is the greenhouse gas emissions, in t CO₂-e

 \boldsymbol{Q} is the quantity of electricity purchased or acquired, and consumed from the operation of the facility during the year, measured in kilowatt hours (kWh)

 Q_{exempt} is the quantity of electricity exempt from Renewable Energy Target (RET) liability, measured in kWh

RPP is the RET Renewable Power Percentage for the applicable period, averaged across the previous and current calendar years, e.g., calendar years 2022 and 2023 are used for the calculation of the financial year 2023 RPP, see Appendix C

JRPP is the jurisdictional RRP for the applicable period and activity state and is calculated as the number of eligible Renewable Energy Certificates (RECs) surrendered by or on behalf of the jurisdictional authority divided by total electricity consumption in the jurisdiction, see Appendix C

*REC*_{surr} is the number of eligible RECs voluntarily surrendered in the reporting year, equivalent to megawatt hours (MWh)

REC_{onsite} is the number of eligible RECs that have been or will be issued for electricity produced on-site during the year and consumed from the operation of the facility, equivalent to MWh

RMF1 is the scope 2 residual mix factor (RMF), in kg CO₂-e emissions per kWh or GJ, see Appendix C

RMF2 is the scope 3 RMF, in kg CO₂-e emissions per kWh or GJ, see Appendix C

Note: As the sum of RMF1 and RMF2 is given in kg CO₂-e emissions per kWh, it is necessary to divide by 1000 to convert to t CO₂-e

An eligible Renewable Energy Certificate (REC) is:

- a Large-scale Generation Certificate (LGC) that is voluntarily surrendered through the Renewable Energy Certificate Registry in the reporting year with a generation date of less than 36 months prior to the end of the reporting year; or
- a purchase of GreenPower electricity from an accredited GreenPower Provider.

Data post-processing

Total emissions were pre-calculated in kg CO_2 -e, for each entity in the Emissions Reporting Tool. For the purposes of this report, emissions were converted to t CO_2 -e by dividing the calculated emissions by 1000. Additionally, the data in this report has been presented as whole numbers. Emissions in t CO_2 -e were rounded up to the nearest whole number, as is best practice in emissions accounting.

Time series consistency

Although 2022-23 is the first publication year of the Net Zero in Government Operations Annual Progress Report, subsequent years will expand reporting over time to track emissions trends and the effects of emission reduction strategies. Time series will show these historical trends. To ensure confidence in time-series consistency, that is, to ensure methods are traceable and equivalent over the years, approaches to emission calculation methodologies, data sources and caveats have been documented in this report.

Appendix C: Emission factors

Emission factors for the APS Net Zero Emissions Reporting Tool have been derived from the following sources, noting that all except flight emissions factors, are from an Australian source:

- 1. Australian National Greenhouse Accounts Factors: 2022 document published by the Department of Climate Change, Energy, the Environment and Water (DCCEEW): <u>National</u> Greenhouse Accounts Factors 2022 DCCEEW
- 2. Australian National Greenhouse Accounts Factors: 2023 document published by the Department of Climate Change, Energy, the Environment and Water (DCCEEW): <u>National Greenhouse Accounts Factors 2023 DCCEEW</u>
- 3. *Greenhouse Gas Reporting: Conversion Factors 2023* published by the government of the United Kingdom (UK): <u>Conversion factors 2023</u>: <u>full set (for advanced users) updated 28</u> <u>June 2023</u>

Natural gas emission factors

Natural gas distributed in a pipeline	Net scope 1 emission factor	Net scope 2 emission factor	Net scope 3 supply chain emission factor
	kg CO₂-e/GJ	kg CO₂-e/GJ	kg CO₂-e/GJ
Natural gas NSW/ACT (metro)	51.53	-	13.10
Natural gas NSW/ACT (non-metro)	51.53	-	14.00
Natural gas QLD (metro)	51.53	-	8.80
Natural gas QLD (non-metro)	51.53	-	7.90
Natural gas SA (metro)	51.53	-	10.70
Natural gas SA (non-metro)	51.53	-	10.60
Natural gas VIC (metro)	51.53	-	4.00
Natural gas VIC (non-metro)	51.53	-	4.00
Natural gas WA (metro)	51.53	-	4.10
Natural gas WA (non-metro)	51.53	-	4.00
Natural gas Tasmania *	51.53	-	8.10
Natural gas Northern Territory *	51.53	-	8.10

Sources:

- Scope 1 Natural gas distributed in a pipeline- The Australian National Greenhouse Accounts Factors: 2022 Page 13; table 4.
- Scope 3 The Australian National Greenhouse Accounts Factors 2022 Page 14; table 5 Notes:
 - * Average of emission factors from other states non-metro from table 5
 - Scope 1 emission factors are in CO₂-e and represents CO₂, CH₄ and N₂O.
 - Scope 3 emission factors for most states and territories are different, therefore a compulsory drop down was added to the emissions reporting tool for the following:
 - \circ State or territory and,
 - \circ Metro or non-metro location.

Electricity emission factors

Location-based method emission factors

Location	Net scope 1 emission factor kg CO ₂ -e/GJ	Net scope 2 emission factor kg CO ₂ -e/GJ	Net scope 3 supply chain emission factor kg CO ₂ -e/GJ
ACT - Australian Capital Territory	-	202.78	16.67
NSW - New South Wales	-	202.78	16.67
NT - Darwin Katherine Interconnected System (DKIS) in the Northern Territory	-	150.00	19.45
QLD - Queensland	-	202.78	41.67
SA - South Australia	-	69.45	22.22
TAS - Tasmania	-	47.22	2.78
VIC - Victoria	-	236.11	19.45
WA - South West Interconnected System (SWIS) in Western Australia	-	161.00	11.11

Source: The Australian National Greenhouse Accounts Factors: 2022 Page 7; table 1. Note:

- Emissions factor is the kg CO₂-e /kWh emission factor as per table, which has been converted to GJ by multiplying it by 277.78.
- Emissions factors for most states and territories are different, therefore a compulsory drop down was added to the emissions reporting tool for State or Territory and electricity use.

Market-based method factors

The following factors are required to calculate the scope 2 and scope 3 emissions released from electricity purchased or acquired and consumed using the market-based method.

Residual mix factor (RMF)

Location	Scope 2 residual	Scope 2 residual	Scope 3 residual	Scope 3 residual
	mix factor	mix factor	mix factor	mix factor
	kg CO ₂ -e/kWh	kg CO₂-e/GJ	kg CO ₂ -e/kWh	kg CO ₂ -e/GJ
National	0.81	226	0.10	29

Source: The Australian National Greenhouse Accounts Factors: 2023 Page 8.

Renewable power percentage (RPP)

Year	Renewable power percentage %
2022 Calendar year	18.64
2023 Calendar year	18.96
2022-23 Financial year average	18.80
Courses Ole on Engrand Demulator	

Source: <u>Clean Energy Regulator</u>.

Jurisdictional renewable power percentage (JRPP)

Location	Year	Jurisdictional renewable power percentage %
ACT	2023	74.13

Source: The Australian National Greenhouse Accounts Factors (2023), page 10. Note: As of 2023, the ACT is the only jurisdiction with a JRPP.

Fleet emission factors

Fuel types	Net scope 1 emission factor kg CO ₂ -e/GJ	Net scope 2 emission factor kg CO ₂ -e/GJ	Net scope 3 supply chain emission factor kg CO ₂ -e/GJ
Diesel – Heavy trucks and buses	70.50	-	17.30
Diesel – All other vehicles as per notes below	70.41	-	17.30
Biodiesel	2.50	-	-
Ethanol mix (gasoline component)	67.62	-	17.20
Ethanol mix (ethanol component)	0.40	-	-
Gasoline	67.62	-	17.20
Liquid petroleum gas (LPG)	61.00	-	20.20
Other biofuels	2.50	-	-

Source: The Australian National Greenhouse Accounts Factors 2022 Page 20; table 8 Notes:

- Scope 1 emission factors are in CO_2 -e and represents CO_2 , CH_4 and N_2O .
- Emission factors are based on drop downs for Asset Class and Fuel Use.
- These emission factors were used for the following vehicle types:
 - Cars, Light Duty Vehicles, Other Off-Road Vehicles, Domestic Marine, Motorcycles, Heavy Duty Trucks and Buses, with exceptions for:
 - Motorcycles, which do not use LPG, biodiesel, or diesel.
 - LPG which is not applicable domestic marine.
 - Diesel use in heavy trucks and buses, which uses the emission factor for Heavy duty vehicles - Diesel oil - Euro i.

Flights emission factors

Emission type	Location in Greenhouse Gas Reporting: Conversion Factors 2023	Net scope 3 - indirect emission sources emission factor kg CO ₂ - e/passenger km	Net scope 3 supply chain emission factor kg CO ₂ -e/passenger km
Long business class flights	Tab: business travel – air Table: without RF- Cell: I30	0.34	
(>3,700km)	Tab: WTT - business travel – air Table: without RF- Cell: F27		0.07
International Aviation - Long	Tab: Business travel – air Table: without RF - Cell: I28	0.12	
economy class flights (>3,700km)	Tab: WTT - business travel – air Table: without RF-Cell: F25		0.02
Long first class flights (>3,700km)	Tab: Business travel – air Table: without RF-Cell: I31	0.47	
	Tab: WTT - business travel – air Table: without RF-Cell: F28		0.10
Long premium economy class	Tab: Business travel – air Table: without RF-Cells: I29	0.19	
flights (>3,700km)	Tab: WTT - business travel – air Table: without RF-Cell: F26		0.04
Short business class flights	Tab: Business travel – air Table: without RF-Cell: I26	0.16	
(>400km, ≤3,700km)	Tab: WTT - business travel – air Table: without RF-Cell: F23		0.03
Short economy class flights	Tab: business travel – air Table: without RF-Cell: I25	0.11	
(>400km, ≤3,700km)	Tab: WTT - business travel – air Table: without RF-Cell: F22		0.02
Very short flights (≤400km)	Tab: business travel – air Table: without RF-Cells: I23	0.16	
· · · ·	Tab: WTT - business travel – air Table: without RF-Cell: F20		0.03

Source: Greenhouse Gas Reporting: Conversion Factors 2023, Government of the United Kingdom. Greenhouse gas reporting: conversion factors 2023 - GOV.UK (www.gov.uk)

Notes:

- Net scope 3 indirect emission sources emission factor is in CO₂-e and represents CO₂, CH₄ and N₂O.
- WTT is Well-to-Tank emission factor is an average of all the emissions released into the atmosphere from the production, processing and delivery of a fuel to the point where it is put into an aircraft.
- RF is Radiative Forcing, which is not included in the emission factors used by APS Net Zero.
- These emission factors are used for both International and Domestic flights.
- Compulsory drop downs for the flight emissions are Cabin Class, Passenger Kms, Departure and Arrival City, Departure and Arrival Country

Other energy tab

Stationary combustion - solid fuels

	Net scope 1 emission factor kg CO₂-e/GJ	Net scope 2 emission factor kg CO ₂ -e/GJ	Net scope 3 supply chain emission factor kg CO₂-e/GJ
Biomass, municipal and industrial materials, if combusted to produce heat or electricity	1.80	-	-
Dry wood	1.20	-	-
Green and air-dried wood	1.20	-	-
Primary solid biomass fuels other than those mentioned in the items above	1.80	-	-

Source: The Australian National Greenhouse Accounts Factors: 2022 Page 10; table 3 Notes: Scope 1 emission factors are in CO₂-e and represents CO₂, CH₄ and N₂O.

Stationary combustion - gaseous fuels

	Net scope 1 emission factor kg CO ₂ -e/GJ	Net scope 2 emission factor kg CO ₂ -e/GJ	Net scope 3 supply chain emission factor kg CO ₂ -e/GJ
A biogas that is captured for combustion, other than those mentioned.	6.43	-	-
Biomethane	0.13	-	-
Compressed natural gas (reverting to standard conditions)	51.53	-	18.00
Gaseous fossil fuels other than those mentioned in the items above	51.53	-	-
Landfill biogas that is captured for combustion (methane only)	6.43	-	-

Source: The Australian National Greenhouse Accounts Factors: 2022 Page 13; table 4 Notes: Scope 1 emission factors are in CO_2 -e and represents CO_2 , CH_4 and N_2O .

Stationary combustion - liquid fuels

	Net scope 1 emission factor kg CO ₂ -e/GJ	Net scope 2 emission factor kg CO ₂ -e/GJ	Net scope 3 supply chain emission factor kg CO ₂ -e/GJ
Automotive gasoline/petrol (used as fuel for stationary energy)	67.80	-	17.20
Biodiesel (used as fuel for stationary energy)	0.28	-	-
Diesel oil	70.20	-	17.30
Other natural gas liquids	61.28	-	-
Petroleum based greases	3.50	-	18.00
Petroleum based oils (other than petroleum-based oil used as fuel), e.g., lubricants	13.90	-	18.00

	Net scope 1 emission factor kg CO₂-e/GJ	Net scope 2 emission factor kg CO ₂ -e/GJ	Net scope 3 supply chain emission factor kg CO ₂ -e/GJ
Petroleum based products other than mentioned in the items above	69.92	-	18.00

Source: The Australian National Greenhouse Accounts Factors: 2022 Page 17; table 7 Notes: Scope 1 emission factors are in CO₂-e and represents CO₂, CH₄ and N₂O.

Stationary combustion - liquid petroleum gas

2		•			
		Net scope 1 emission factor kg CO₂-e/GJ	Net scope 2 emission factor kg CO₂-e/GJ	Net scope 3 supply chain emission factor kg CO ₂ -e/GJ	
Liquid petroleum gas (LF (stationary)	PG)	61.00	-	20.20	

Source: The Australian National Greenhouse Accounts Factors: 2022 Page 20; table 8 Notes: Scope 1 emission factors are in CO_2 -e and represents CO_2 , CH_4 and N_2O .

Mobile combustion - aviation

	Net scope 1 emission factor kg CO ₂ -e/GJ	Net scope 2 emission factor kg CO ₂ -e/GJ	Net scope 3 supply chain emission factor kg CO ₂ -e/GJ
Gasoline for use as fuel in an aircraft-aviation	67.66	-	18.00
Kerosene for use as fuel in an aircraft-aviation	70.21	-	18.00

Source: The Australian National Greenhouse Accounts Factors: 2022 Page 20; table 8 Notes: Scope 1 emission factors are in CO₂-e and represents CO₂, CH₄ and N₂O.

Mobile combustion - cars and light commercial vehicles

	Net scope 1 emission factor kg CO₂-e/GJ	Net scope 2 emission factor kg CO ₂ -e/GJ	Net scope 3 supply chain emission factor kg CO ₂ -e/GJ
Biodiesel-cars and light commercial vehicles	2.50		-
Diesel oil-cars and light commercial vehicles	70.41		17.30
Ethanol-cars and light commercial vehicles	0.40		-
Fuel oil-cars and light commercial vehicles	74.18		18.00
Gasoline-cars and light commercial vehicles	67.62		17.20
Liquid petroleum gas (LPG)-cars and light commercial vehicles	61.00		20.20
Other biofuels-cars and light commercial vehicles	2.50		-

Source: The Australian National Greenhouse Accounts Factors: 2022 Page 20; table 8 Notes: Scope 1 emission factors are in CO₂-e and represents CO₂, CH₄ and N₂O.

Mobile combustion - heavy duty vehicles

	Net scope 1 emission factor kg CO₂-e/GJ	Net scope 2 emission factor kg CO ₂ -e/GJ	Net scope 3 supply chain emission factor kg CO ₂ -e/GJ
Compressed natural gas-heavy duty vehicles	54.50		18.00
Diesel oil - Euro i-heavy duty vehicles	70.50		17.30
Diesel oil - Euro iii-heavy duty vehicles	70.40		17.30
Diesel oil - Euro iv or higher-heavy duty vehicles	70.37		17.30

Source: The Australian National Greenhouse Accounts Factors: 2022 Page 20; table 8 Notes: Scope 1 emission factors are in CO₂-e and represents CO₂, CH₄ and N₂O.

Mobile combustion - light duty vehicles

	Net scope 1 emission factor kg CO₂-e/GJ	Net scope 2 emission factor kg CO ₂ -e/GJ	Net scope 3 supply chain emission factor kg CO ₂ -e/GJ
Compressed natural gas-light duty vehicles	59.00		18.00
Liquefied natural gas-heavy duty vehicles	54.50		18.00
Liquefied natural gas-light duty vehicles	59.00		18.00

Source: The Australian National Greenhouse Accounts Factors: 2022 Page 20; table 8 Notes: Scope 1 emission factors are in CO₂-e and represents CO₂, CH₄ and N₂O.

Appendix D: Energy content factors

Energy content factors for the APS Net Zero Emissions Reporting Tool have been derived from the following:

1. Australian National Greenhouse Accounts Factors: 2022 document published by the Department of Climate Change, Energy, the Environment and Water (DCCEEW): <u>National</u> <u>Greenhouse Accounts Factors: 2022 – - DCCEEW</u>

Electricity Generation 0.00 ktW/GJ Ethanol mix - Gasoline component 34.200 kL/GJ Ethanol Mix Ethanol oxponent 23.400 kL/GJ Unleaded 34.200 kL/GJ Ethanol Mix 23.400 kL/GJ Ultra-Premium Unleaded 34.200 kL/GJ PULP Ethanol Blend 23.400 kL/GJ Diesel 38.600 kL/GJ Biodiesel 34.600 kL/GJ Gasoline 34.200 kL/GJ Diesel 38.600 kL/GJ Biodiesel 44.000 kL/GJ Ompressed natural gas-Heavy duty vehicles 0.039 mH/GJ Compressed natural gas-Heavy duty vehicles 0.039 kL/GJ Diesel oil - Euro ii-Heavy duty vehicles 0.039 kL/GJ Diesel oil - Euro ii-Heavy duty vehicles 0.039 kL/GJ Diesel oil - Euro ii-Heavy duty vehicles 38.600 kL/GJ Diesel oil - Euro ii-Heavy duty vehicles 38.600 kL/GJ Diesel oil - Euro ii-Heavy duty vehicles 38.600	Emission source detail	Energy Content Factor	Unit
Ethanol mix - Ethanol component23.400kL/GJUnleaded34.200kL/GJEthanol Mix23.400kL/GJEthanol Mix23.400kL/GJPULP Ethanol Blend23.400kL/GJLiquid Petroleum Gas (LPG)26.200kL/GJDiesel38.600kL/GJGasoline34.200kL/GJGasoline34.200kL/GJDiesel - Euro i-Heavy duty vehicles38.600kL/GJBiodiesel - Cars and light commercial vehicles0.039m³/GJDiesel - Euro i-Heavy duty vehicles0.039kL/GJCompressed natural gas-Heavy duty vehicles0.039kL/GJDiesel oil - Euro i-Heavy duty vehicles0.039kL/GJDiesel oil - Euro i-Heavy duty vehicles38.600kL/GJDiesel oil - Euro i or higher-Heavy duty vehicles38.600kL/GJDiesel oil - Euro i or higher-Heavy duty vehicles38.600kL/GJGasoline-Cars and light commercial vehicles39.700kL/GJGasoline-Cars and light commercial vehicles34.200kL/GJGasoline-Cars and light commercial vehicles34.200kL/GJGasoline-Cars and light commercial vehicles25.300kL/GJGasoline-Cars and light commercial vehicles25.300kL/GJGasoline-Cars and light commercial vehicles25.300 <td< td=""><td>Electricity Generation</td><td>0.004</td><td>kWh/GJ</td></td<>	Electricity Generation	0.004	kWh/GJ
Unleaded34.200kL/GJEthanol Mix23.400kL/GJUltra-Premium Unleaded34.200kL/GJUltra-Premium Unleaded23.400kL/GJLiquid Petroleum Gas (LPG)26.200kL/GJDiesel38.600kL/GJBiodiesel34.600kL/GJDiesel38.600kL/GJDiesel34.600kL/GJDiesel - Euro i-Heavy duty vehicles38.600kL/GJDiesel - Start al gas0.039m³/GJBiodiesel-Cars and light commercial vehicles0.039kL/GJCompressed natural gas-Heavy duty vehicles0.039kL/GJDiesel oil - Euro i-Heavy duty vehicles0.039kL/GJDiesel oil - Euro i-Heavy duty vehicles38.600kL/GJDiesel oil - Euro i vo higher-Heavy duty vehicles38.600kL/GJDiesel oil - Euro i vo higher-Heavy duty vehicles38.600kL/GJDiesel oil - Cars and light commercial vehicles38.600kL/GJDiesel oil - Cars and light commercial vehicles38.600kL/GJGasoline for use as fuel in an aircraft-Aviation33.100kL/GJGasoline for use as fuel in an aircraft-Aviation33.100kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJCompressed and light commercial vehicles25.300kL/GJGasoline-Cars and light commercial vehicles25.300kL/GJCompressed and light commercial vehicles25.300kL/GJ<	Ethanol mix - Gasoline component	34.200	kL/GJ
Ethanol Mix23.400kL/GJUltra-Premium Unleaded34.200kL/GJPULP Ethanol Blend23.400kL/GJLiquid Petroleum Gas (LPG)26.200kL/GJDiesel38.600kL/GJBiodiesel34.600kL/GJGasoline34.200kL/GJDiesel - Euro i-Heavy duty vehicles38.600kL/GJBiodiesel-Cars and light commercial vehicles0.039m³/GJBiodiesel-Cars and light commercial vehicles0.039kL/GJCompressed natural gas-Heavy duty vehicles0.039kL/GJDiesel oil - Euro i-Heavy duty vehicles38.600kL/GJDiesel oil - Euro i-Heavy duty vehicles38.600kL/GJDiesel oil - Euro i-Heavy duty vehicles38.600kL/GJDiesel oil - Euro iv or higher-Heavy duty vehicles38.600kL/GJGasoline-Cars and light commercial vehicles39.700kL/GJGasoline-Cars and light commercial vehicles39.700kL/GJGasoline-Cars and light commercial vehicles25.300kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJ<	Ethanol mix - Ethanol component	23.400	kL/GJ
Ultra-Premium Unleaded34.200kL/GJPULP Ethanol Blend23.400kL/GJLiquid Petroleum Gas (LPG)26.200kL/GJDiesel38.600kL/GJBiodiesel34.600kL/GJGasoline34.200kL/GJGasoline34.200kL/GJDiesel - Euro i-Heavy duty vehicles38.600kL/GJNatural Gas0.039m³/GJBiodiesel-Cars and light commercial vehicles0.039kL/GJCompressed natural gas-Heavy duty vehicles0.039kL/GJDiesel oil - Euro i-Heavy duty vehicles0.039kL/GJDiesel oil - Euro in-Heavy duty vehicles0.039kL/GJDiesel oil - Euro in-Heavy duty vehicles38.600kL/GJDiesel oil - Euro in-Heavy duty vehicles38.600kL/GJDiesel oil - Euro in-Heavy duty vehicles38.600kL/GJDiesel oil - Cars and light commercial vehicles38.600kL/GJGasoline for use as fuel in an aircraft-Aviation33.100kL/GJGasoline Cars and light commercial vehicles34.200kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJA biogas that is captured for combustion, other	Unleaded	34.200	kL/GJ
PULP Ethanol Blend23.400kL/GJLiquid Petroleum Gas (LPG)26.200kL/GJDiesel38.600kL/GJBiodiesel34.600kL/GJDiesel34.200kL/GJDiesel - Euro i-Heavy duty vehicles38.600kL/GJDiesel - Euro i-Heavy duty vehicles38.600kL/GJBiodiesel-Cars and light commercial vehicles0.039m³/GJCompressed natural gas-Heavy duty vehicles0.039kL/GJCompressed natural gas-Light duty vehicles0.039kL/GJDiesel oil - Euro i-Heavy duty vehicles38.600kL/GJDiesel oil - Euro i-Heavy duty vehicles38.600kL/GJDiesel oil - Euro i-Heavy duty vehicles38.600kL/GJDiesel oil - Euro ir-Heavy duty vehicles38.600kL/GJDiesel oil-Cars and light commercial vehicles38.600kL/GJEthanol-Cars and light commercial vehicles39.700kL/GJGasoline for use as fuel in an aircraft-Aviation36.800kL/GJGasoline-Cars and light commercial vehicles25.300kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas fuel in an aircraft-Aviation36	Ethanol Mix	23.400	kL/GJ
Liquid Petroleum Gas (LPG)26.200kL/GJDiesel38.600kL/GJBiodiesel34.600kL/GJGasoline34.200kL/GJDiesel - Euro i-Heavy duty vehicles38.600kL/GJDiesel - Euro i-Heavy duty vehicles38.600kL/GJCompressed natural gas-Heavy duty vehicles0.039m³/GJBiodiesel-Cars and light commercial vehicles0.039kL/GJCompressed natural gas-Light duty vehicles0.039kL/GJDiesel oil - Euro ii-Heavy duty vehicles38.600kL/GJDiesel oil - Euro iv or higher-Heavy duty vehicles38.600kL/GJDiesel oil-Cars and light commercial vehicles39.700kL/GJGasoline-Cars and light commercial vehicles39.700kL/GJGasoline for use as fuel in an aircraft-Aviation33.100kL/GJGasoline-Cars and light commercial vehicles25.300kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Heavy duty vehicles26.200kL/GJOther biofuels-Cars and light commercial vehicles23.400kL/GJCompressed natural gas (reverting to standard conditions)0.039m³/GJOther biofuels-Cars and light commercial vehicles26.200kL/GJLiquid Petroleum Gas (IPG)-Cars and light commercial vehicles23.400 <td>Ultra-Premium Unleaded</td> <td>34.200</td> <td>kL/GJ</td>	Ultra-Premium Unleaded	34.200	kL/GJ
Diesel38.600kL/GJBiodiesel34.600kL/GJGasoline34.200kL/GJDiesel - Euro i-Heavy duty vehicles38.600kL/GJNatural Gas0.039m³/GJBiodiesel-Cars and light commercial vehicles0.039kL/GJCompressed natural gas-Heavy duty vehicles0.039kL/GJCompressed natural gas-Heavy duty vehicles0.039kL/GJDiesel oil - Euro i-Heavy duty vehicles0.039kL/GJDiesel oil - Euro ii-Heavy duty vehicles38.600kL/GJDiesel oil - Euro iv or higher-Heavy duty vehicles38.600kL/GJDiesel oil - Euro iv or higher-Heavy duty vehicles38.600kL/GJDiesel oil-Cars and light commercial vehicles38.600kL/GJEthanol-Cars and light commercial vehicles39.700kL/GJGasoline-Cars and light commercial vehicles39.700kL/GJGasoline-Cars and light commercial vehicles34.200kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas (reverting to standard conditions)0.039m³/GJGompressed natural gas (reverting to standard conditions)0.038m³/GJGasous fossil luels other than those mentioned in the items above0.039m³/GJBiomethane0.039m³/GJGasous fossil fuels other than those mentioned in the items above0.038m³/GJ <tr<< td=""><td>PULP Ethanol Blend</td><td>23.400</td><td>kL/GJ</td></tr<<>	PULP Ethanol Blend	23.400	kL/GJ
Biodiesel34.600kL/GJGasoline34.200kL/GJDiesel - Euro i-Heavy duty vehicles38.600kL/GJNatural Gas0.039m³/GJBiodiesel-Cars and light commercial vehicles0.039kL/GJCompressed natural gas-Heavy duty vehicles0.039kL/GJDiesel oil - Euro i-Heavy duty vehicles0.039kL/GJDiesel oil - Euro ii-Heavy duty vehicles38.600kL/GJDiesel oil - Euro ii-Heavy duty vehicles38.600kL/GJDiesel oil - Euro ii-Heavy duty vehicles38.600kL/GJDiesel oil - Euro iv or higher-Heavy duty vehicles38.600kL/GJDiesel oil - Euro iv or higher-Heavy duty vehicles38.600kL/GJDiesel oil-Cars and light commercial vehicles23.400kL/GJFuel oil-Cars and light commercial vehicles39.700kL/GJGasoline for use as fuel in an aircraft-Aviation33.100kL/GJGasoline-Cars and light commercial vehicles34.200kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJDiegas that is captured for combustion, other than those mentioned in the items above0.039m³/GJBiomethane0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJBiomethane0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJBiomethane0.039m³/GJGaseous fos	Liquid Petroleum Gas (LPG)	26.200	kL/GJ
Gasoline34.200kL/GJDiesel - Euro i-Heavy duty vehicles38.600kL/GJNatural Gas0.039m³/GJBiodiesel-Cars and light commercial vehicles34.600kL/GJCompressed natural gas-Heavy duty vehicles0.039kL/GJCompressed natural gas-Light duty vehicles0.039kL/GJDiesel oil - Euro i-Heavy duty vehicles38.600kL/GJDiesel oil - Euro ii-Heavy duty vehicles38.600kL/GJDiesel oil - Euro ii ii-Heavy duty vehicles38.600kL/GJDiesel oil - Euro ii or higher-Heavy duty vehicles38.600kL/GJDiesel oil - Cars and light commercial vehicles38.600kL/GJEthanol-Cars and light commercial vehicles39.700kL/GJGasoline for use as fuel in an aircraft-Aviation33.100kL/GJGasoline-Cars and light commercial vehicles34.200kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles23.400kL/GJLiquefied natural gas-Light duty vehicles23.400kL/GJGasoline-Cars and light commercial vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles23.400kL/GJGompressed natural gas (reverting to standard conditions)0.039m³/GJGompressed natural gas (reverting to standard conditions)0.039m³/GJGasoline/petrol (used as fuel for combustion (methane only)0.038m³/GJLandfill biogas that is captured for combustion (methane only)0.038m³/	Diesel	38.600	kL/GJ
Diesel - Euro i-Heavy duty vehicles38.600kL/GJNatural Gas0.039m³/GJBiodiesel-Cars and light commercial vehicles34.600kL/GJCompressed natural gas-Heavy duty vehicles0.039kL/GJCompressed natural gas-Light duty vehicles0.039kL/GJDiesel oil - Euro ii-Heavy duty vehicles38.600kL/GJDiesel oil - Cars and light commercial vehicles38.600kL/GJEthanol-Cars and light commercial vehicles39.700kL/GJGasoline for use as fuel in an aircraft-Aviation33.100kL/GJGasoline-Cars and light commercial vehicles25.300kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJGasolare for use as and light commercial vehicles26.200kL/GJCompressed natural gas (reverting to standard conditions)0.039m³/GJGompressed natural gas (reverting to standard conditions)0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJBiomethane0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJ<	Biodiesel	34.600	kL/GJ
Natural Gas0.039m³/GJBiodiesel-Cars and light commercial vehicles34.600kL/GJCompressed natural gas-Heavy duty vehicles0.039kL/GJCompressed natural gas-Light duty vehicles0.039kL/GJDiesel oil - Euro i-Heavy duty vehicles38.600kL/GJDiesel oil - Euro iii-Heavy duty vehicles38.600kL/GJDiesel oil - Euro iv or higher-Heavy duty vehicles38.600kL/GJDiesel oil-Cars and light commercial vehicles38.600kL/GJEthanol-Cars and light commercial vehicles23.400kL/GJGasoline for use as fuel in an aircraft-Aviation33.100kL/GJGasoline-Cars and light commercial vehicles34.200kL/GJGasoline-Cars and light commercial vehicles34.200kL/GJGasoline-Cars and light commercial vehicles34.200kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles23.400kL/GJLiquefied natural gas-Light duty vehicles23.400kL/GJCompressed natural gas (reverting to standard conditions)0.039m³/GJOther biofuels-Cars and light commercial vehicles23.400kL/GJLiquefied natural gas (reverting to standard conditions)0.039m³/GJCompressed natural gas (reverting to standard conditions)0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJBiomethane0.	Gasoline	34.200	kL/GJ
Biodiesel-Cars and light commercial vehicles34.600kL/GJCompressed natural gas-Heavy duty vehicles0.039kL/GJCompressed natural gas-Light duty vehicles0.039kL/GJDiesel oil - Euro i-Heavy duty vehicles38.600kL/GJDiesel oil - Euro ii-Heavy duty vehicles38.600kL/GJDiesel oil - Euro i vor higher-Heavy duty vehicles38.600kL/GJDiesel oil - Euro i vor higher-Heavy duty vehicles38.600kL/GJDiesel oil - Cars and light commercial vehicles38.600kL/GJEthanol-Cars and light commercial vehicles39.700kL/GJGasoline for use as fuel in an aircraft-Aviation33.100kL/GJGasoline-Cars and light commercial vehicles34.200kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Heavy duty vehicles26.200kL/GJCompressed natural gas-Light duty vehicles26.200kL/GJLiquefied natural gas-Light duty vehicles23.400kL/GJCompressed natural gas (LPG)-Cars and light commercial vehicles25.300kL/GJCompressed natural gas (reverting to standard conditions)0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJBiomethane0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJBiomethane0.039m³/GJ0.038m³/GJGaseous fossil fuels oth	Diesel - Euro i-Heavy duty vehicles	38.600	kL/GJ
Compressed natural gas-Heavy duty vehicles0.039kL/GJCompressed natural gas-Light duty vehicles0.039kL/GJDiesel oil - Euro i-Heavy duty vehicles38.600kL/GJDiesel oil - Euro iii-Heavy duty vehicles38.600kL/GJDiesel oil - Euro iv or higher-Heavy duty vehicles38.600kL/GJDiesel oil - Cars and light commercial vehicles38.600kL/GJEthanol-Cars and light commercial vehicles23.400kL/GJGasoline for use as fuel in an aircraft-Aviation33.100kL/GJGasoline-Cars and light commercial vehicles34.200kL/GJGasoline-Cars and light commercial vehicles25.300kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles26.200kL/GJLiquefied natural gas-Light duty vehicles23.400kL/GJCompressed natural gas (reverting to standard conditions)0.037m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJBiomethane0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJKL/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJS600kL/GJ	Natural Gas	0.039	m³/GJ
Compressed natural gas-Light duty vehicles0.039kL/GJDiesel oil - Euro i-Heavy duty vehicles38.600kL/GJDiesel oil - Euro iii-Heavy duty vehicles38.600kL/GJDiesel oil - Euro iv or higher-Heavy duty vehicles38.600kL/GJDiesel oil - Cars and light commercial vehicles38.600kL/GJEthanol-Cars and light commercial vehicles23.400kL/GJFuel oil-Cars and light commercial vehicles39.700kL/GJGasoline for use as fuel in an aircraft-Aviation33.100kL/GJGasoline-Cars and light commercial vehicles34.200kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles23.400kL/GJLiquefied natural gas-Light duty vehicles23.400kL/GJLiquefied natural gas-Light duty vehicles26.200kL/GJLiquefied natural gas-Light duty vehicles23.400kL/GJCompressed natural gas (reverting to standard conditions)0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJBiomethane0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039Biodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJSicolesel oilSicolesel oil	Biodiesel-Cars and light commercial vehicles	34.600	kL/GJ
Diesel oil - Euro i-Heavy duty vehicles38.600kL/GJDiesel oil - Euro iii-Heavy duty vehicles38.600kL/GJDiesel oil - Euro iv or higher-Heavy duty vehicles38.600kL/GJDiesel oil - Cars and light commercial vehicles38.600kL/GJEthanol-Cars and light commercial vehicles23.400kL/GJFuel oil-Cars and light commercial vehicles39.700kL/GJGasoline for use as fuel in an aircraft-Aviation33.100kL/GJGasoline-Cars and light commercial vehicles34.200kL/GJKerosene for use as fuel in an aircraft-Aviation36.800kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles26.200kL/GJLiquefied natural gas-Light duty vehicles23.400kL/GJDiogas that is captured for combustion, other than those mentioned in the items above0.039m³/GJBiomethane0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJLandfill biogas that is captured for combustion (methane only)0.038m³/GJAutomotive gasoline/petrol (used as fuel for stationary energy)34.600kL/GJKL/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJKL/GJKL/GJDiesel oil38.600kL/GJKL/GJBiodiesel (used as fuel for stationary energy)34.600 <td>Compressed natural gas-Heavy duty vehicles</td> <td>0.039</td> <td>kL/GJ</td>	Compressed natural gas-Heavy duty vehicles	0.039	kL/GJ
Diesel oil - Euro iii-Heavy duty vehicles38.600kL/GJDiesel oil - Euro iv or higher-Heavy duty vehicles38.600kL/GJDiesel oil-Cars and light commercial vehicles38.600kL/GJEthanol-Cars and light commercial vehicles23.400kL/GJFuel oil-Cars and light commercial vehicles39.700kL/GJGasoline for use as fuel in an aircraft-Aviation33.100kL/GJGasoline-Cars and light commercial vehicles34.200kL/GJGasoline-Cars and light commercial vehicles34.200kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Heavy duty vehicles26.200kL/GJLiquefied natural gas-Light duty vehicles23.400kL/GJDiesel oil-Cars and light commercial vehicles26.200kL/GJCother biofuels-Cars and light commercial vehicles23.400kL/GJDiesel oil0.039m³/GJm³/GJCompressed natural gas (reverting to standard conditions)0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJBiomethane0.039m³/GJM³/GJAutomotive gasoline/petrol (used as fuel for stationary energy)34.600kL/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJMathice	Compressed natural gas-Light duty vehicles	0.039	kL/GJ
Diesel oil - Euro iv or higher-Heavy duty vehicles38.600kL/GJDiesel oil-Cars and light commercial vehicles38.600kL/GJEthanol-Cars and light commercial vehicles23.400kL/GJFuel oil-Cars and light commercial vehicles39.700kL/GJGasoline for use as fuel in an aircraft-Aviation33.100kL/GJGasoline-Cars and light commercial vehicles34.200kL/GJKerosene for use as fuel in an aircraft-Aviation36.800kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles26.200kL/GJOther biofuels-Cars and light commercial vehicles23.400kL/GJOther biofuels-Cars and light commercial vehicles26.200kL/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJBiomethane0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJJAutomotive gasoline/petrol (used as fuel for stationary energy)34.200kL/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJ	Diesel oil - Euro i-Heavy duty vehicles	38.600	kL/GJ
Diesel oil-Cars and light commercial vehicles38.600kL/GJEthanol-Cars and light commercial vehicles23.400kL/GJFuel oil-Cars and light commercial vehicles39.700kL/GJGasoline for use as fuel in an aircraft-Aviation33.100kL/GJGasoline-Cars and light commercial vehicles34.200kL/GJKerosene for use as fuel in an aircraft-Aviation36.800kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles26.200kL/GJOther biofuels-Cars and light commercial vehicles23.400kL/GJOther biofuels-Cars and light commercial vehicles23.400kL/GJGaseaus that is captured for combustion, other than those mentioned in the items above0.039m³/GJBiomethane0.039m³/GJm³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJLandfill biogas that is captured for combustion (methane only)0.038m³/GJAutomotive gasoline/petrol (used as fuel for stationary energy)34.600kL/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJ	Diesel oil - Euro iii-Heavy duty vehicles	38.600	kL/GJ
Ethanol-Cars and light commercial vehicles23.400kL/GJFuel oil-Cars and light commercial vehicles39.700kL/GJGasoline for use as fuel in an aircraft-Aviation33.100kL/GJGasoline-Cars and light commercial vehicles34.200kL/GJKerosene for use as fuel in an aircraft-Aviation36.800kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles26.200kL/GJDther biofuels-Cars and light commercial vehicles26.200kL/GJOther biofuels-Cars and light commercial vehicles23.400kL/GJBiomethane0.037m³/GJBiomethane0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJLandfill biogas that is captured for combustion (methane only)0.038m³/GJAutomotive gasoline/petrol (used as fuel for stationary energy)34.600kL/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJ38.600kL/GJ	Diesel oil - Euro iv or higher-Heavy duty vehicles	38.600	kL/GJ
Fuel oil-Cars and light commercial vehicles39.700kL/GJGasoline for use as fuel in an aircraft-Aviation33.100kL/GJGasoline-Cars and light commercial vehicles34.200kL/GJKerosene for use as fuel in an aircraft-Aviation36.800kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles26.200kL/GJLiquefied natural gas-Light duty vehicles26.200kL/GJLiquefied natural gas-Light duty vehicles26.200kL/GJDother biofuels-Cars and light commercial vehicles26.200kL/GJOther biofuels-Cars and light commercial vehicles23.400kL/GJA biogas that is captured for combustion, other than those mentioned in the items above0.037m³/GJBiomethane0.039m³/GJm³/GJCompressed natural gas (reverting to standard conditions)0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJLandfill biogas that is captured for combustion (methane only)0.038m³/GJAutomotive gasoline/petrol (used as fuel for stationary energy)34.600kL/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJ38.600kL/GJ	Diesel oil-Cars and light commercial vehicles	38.600	kL/GJ
Gasoline for use as fuel in an aircraft-Aviation33.100kL/GJGasoline-Cars and light commercial vehicles34.200kL/GJKerosene for use as fuel in an aircraft-Aviation36.800kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles26.200kL/GJLiquefied natural gas-Light duty vehicles23.400kL/GJOther biofuels-Cars and light commercial vehicles23.400kL/GJA biogas that is captured for combustion, other than those mentioned in the items above0.037m³/GJBiomethane0.039m³/GJCompressed natural gas (reverting to standard conditions)0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJLandfill biogas that is captured for combustion (methane only)0.038m³/GJAutomotive gasoline/petrol (used as fuel for stationary energy)34.600kL/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJ0.038	Ethanol-Cars and light commercial vehicles	23.400	kL/GJ
Gasoline-Cars and light commercial vehicles34.200kL/GJKerosene for use as fuel in an aircraft-Aviation36.800kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles26.200kL/GJDiquefied natural gas-Light duty vehicles26.200kL/GJLiquefied natural gas (LPG)-Cars and light commercial vehicles23.400kL/GJOther biofuels-Cars and light commercial vehicles23.400kL/GJA biogas that is captured for combustion, other than those mentioned in the items above0.037m³/GJBiomethane0.039m³/GJCompressed natural gas (reverting to standard conditions)0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJLandfill biogas that is captured for combustion (methane only)0.038m³/GJAutomotive gasoline/petrol (used as fuel for stationary energy)34.600kL/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJ38.600kL/GJ	Fuel oil-Cars and light commercial vehicles	39.700	kL/GJ
Kerosene for use as fuel in an aircraft-Aviation36.800kL/GJLiquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquid Petroleum Gas (LPG)-Cars and light commercial vehicles26.200kL/GJOther biofuels-Cars and light commercial vehicles23.400kL/GJA biogas that is captured for combustion, other than those mentioned in the items above0.037m³/GJBiomethane0.039m³/GJCompressed natural gas (reverting to standard conditions)0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJLandfill biogas that is captured for combustion (methane only)0.038m³/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJ	Gasoline for use as fuel in an aircraft-Aviation	33.100	kL/GJ
Liquefied natural gas-Heavy duty vehicles25.300kL/GJLiquefied natural gas-Light duty vehicles25.300kL/GJLiquid Petroleum Gas (LPG)-Cars and light commercial vehicles26.200kL/GJOther biofuels-Cars and light commercial vehicles23.400kL/GJA biogas that is captured for combustion, other than those mentioned in the items above0.037m³/GJBiomethane0.039m³/GJCompressed natural gas (reverting to standard conditions)0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJLandfill biogas that is captured for combustion (methane only)0.038m³/GJAutomotive gasoline/petrol (used as fuel for stationary energy)34.600kL/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJ0.038	Gasoline-Cars and light commercial vehicles	34.200	kL/GJ
Liquefied natural gas-Light duty vehicles25.300kL/GJLiquid Petroleum Gas (LPG)-Cars and light commercial vehicles26.200kL/GJOther biofuels-Cars and light commercial vehicles23.400kL/GJA biogas that is captured for combustion, other than those mentioned in the items above0.037m³/GJBiomethane0.039m³/GJCompressed natural gas (reverting to standard conditions)0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJLandfill biogas that is captured for combustion (methane only)0.038m³/GJAutomotive gasoline/petrol (used as fuel for stationary energy)34.200kL/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJ	Kerosene for use as fuel in an aircraft-Aviation	36.800	kL/GJ
Liquid Petroleum Gas (LPG)-Cars and light commercial vehicles26.200kL/GJOther biofuels-Cars and light commercial vehicles23.400kL/GJA biogas that is captured for combustion, other than those mentioned in the items above0.037m³/GJBiomethane0.039m³/GJCompressed natural gas (reverting to standard conditions)0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJLandfill biogas that is captured for combustion (methane only)0.038m³/GJAutomotive gasoline/petrol (used as fuel for stationary energy)34.200kL/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJ	Liquefied natural gas-Heavy duty vehicles	25.300	kL/GJ
Other biofuels-Cars and light commercial vehicles23.400kL/GJA biogas that is captured for combustion, other than those mentioned in the items above0.037m³/GJBiomethane0.039m³/GJCompressed natural gas (reverting to standard conditions)0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJLandfill biogas that is captured for combustion (methane only)0.038m³/GJAutomotive gasoline/petrol (used as fuel for stationary energy)34.200kL/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJ	Liquefied natural gas-Light duty vehicles	25.300	kL/GJ
A biogas that is captured for combustion, other than those mentioned in the items above0.037m³/GJBiomethane0.039m³/GJCompressed natural gas (reverting to standard conditions)0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJLandfill biogas that is captured for combustion (methane only)0.038m³/GJAutomotive gasoline/petrol (used as fuel for stationary energy)34.200kL/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJ	Liquid Petroleum Gas (LPG)-Cars and light commercial vehicles	26.200	kL/GJ
the items aboveBiomethane0.039m³/GJCompressed natural gas (reverting to standard conditions)0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJLandfill biogas that is captured for combustion (methane only)0.038m³/GJAutomotive gasoline/petrol (used as fuel for stationary energy)34.200kL/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJ	Other biofuels-Cars and light commercial vehicles	23.400	kL/GJ
Compressed natural gas (reverting to standard conditions)0.039m³/GJGaseous fossil fuels other than those mentioned in the items above0.039m³/GJLandfill biogas that is captured for combustion (methane only)0.038m³/GJAutomotive gasoline/petrol (used as fuel for stationary energy)34.200kL/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJ	•	0.037	m³/GJ
Gaseous fossil fuels other than those mentioned in the items above0.039m³/GJLandfill biogas that is captured for combustion (methane only)0.038m³/GJAutomotive gasoline/petrol (used as fuel for stationary energy)34.200kL/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJ	Biomethane	0.039	m³/GJ
Landfill biogas that is captured for combustion (methane only)0.038m³/GJAutomotive gasoline/petrol (used as fuel for stationary energy)34.200kL/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJ	Compressed natural gas (reverting to standard conditions)	0.039	m³/GJ
Automotive gasoline/petrol (used as fuel for stationary energy)34.200kL/GJBiodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJ	Gaseous fossil fuels other than those mentioned in the items above	0.039	m³/GJ
Biodiesel (used as fuel for stationary energy)34.600kL/GJDiesel oil38.600kL/GJ	Landfill biogas that is captured for combustion (methane only)	0.038	m³/GJ
Diesel oil 38.600 kL/GJ	Automotive gasoline/petrol (used as fuel for stationary energy)	34.200	kL/GJ
	Biodiesel (used as fuel for stationary energy)	34.600	kL/GJ
Liquid petroleum gas (LPG) (stationary) 25.700 kL/GJ	Diesel oil	38.600	kL/GJ
	Liquid petroleum gas (LPG) (stationary)	25.700	kL/GJ

Emission source detail	Energy Content Factor	Unit
Other natural gas liquids	46.500	t/GJ
Petroleum based greases	38.800	kL/GJ
Petroleum based oils (other than petroleum-based oil used as fuel), e.g., lubricants	38.800	kL/GJ
Petroleum based products other than mentioned in the items above	34.400	kL/GJ
Biomass, municipal and industrial materials, if combusted to produce heat or electricity	12.200	t/GJ
Dry wood	16.200	t/GJ
Green and air-dried wood	10.400	t/GJ
Primary solid biomass fuels other than those mentioned in the items above	12.200	t/GJ





APS Net Zero Unit, Department of Finance

APSNetZero@finance.gov.au